

January			February		
Time	m		Time	m	
1	0559 0.3		12	0218 0.2	
	0646 0.3			0709 3.9	
SA	0716 0.3	W	1444 0.1	23	0055 0.3
	1206 3.9		1959 3.7		0507 5.0
	2003 0.2			SU	1410 -0.1
					1738 5.2
2	0048 4.1		24	0133 0.3	
	0821 0.2			0551 5.0	
SU	1313 4.0	13	0303 0.1	M	1453 0.0
	2045 0.2		0743 3.6		1827 5.0
			1529 0.1	W	0216 4.2
			2050 3.5		1054 0.0
					1444 4.4
3	0143 4.2		14	0355 0.1	
	0908 0.1		0830 3.3		2154 0.2
M	1407 4.2	F	1623 0.1	25	0209 0.3
	2117 0.3		2201 3.4		0633 4.8
	2215 0.3			TU	1530 0.2
	2229 0.3				1915 4.7
4	0231 4.3		15	0453 0.1	
	0945 0.1		1026 3.2		0242 0.3
TU	1454 4.4	SA	1727 0.2	W	0714 4.5
	2154 0.3		2301 3.5		1514 0.3
					2005 4.4
					0336 4.5
					1046 0.2
					1113 0.2
					1216 0.1
					1602 4.6
					2324 0.2
5	0314 4.4		16	0553 0.1	
	1026 0.1		1133 3.4		0407 4.6
W	1116 0.1	SU	1847 0.2	5	1243 0.2
	1142 0.1		2359 3.7		1636 4.6
	1537 4.5			SA	
	2241 0.2				0038 3.7
					0737 0.0
					0751 0.0
					0818 0.0
					1313 4.0
					2045 0.1
6	0352 4.5		17	0656 0.1	
	1118 0.0		1232 3.7		0007 0.2
TH	1154 0.1	M	2021 0.1	6	0436 4.7
	1221 0.0				1255 0.2
	1616 4.6			SU	1707 4.6
	2334 0.1				
					0042 0.2
					0507 4.8
					1310 0.2
					1739 4.6
7	0426 4.6		18	0101 3.8	
	1249 0.0		0858 0.0		0234 4.5
F	1654 4.6	TU	1329 4.0	18	1015 0.1
			2117 0.1		1043 0.1
					1110 0.1
					1459 4.8
					2235 0.2
8	0026 0.2		19	0201 4.1	
	0458 4.6		0957 0.0		0319 4.8
SA	1319 0.1	W	1423 4.4	19	1218 0.0
	1731 4.5		2209 0.2		1546 5.1
				SA	2346 0.3
					0109 0.2
					0539 4.6
					1138 0.4
					1149 0.4
					1332 0.2
					1811 4.4
9	0104 0.2		20	0251 4.4	
	0532 4.6		1113 0.1		0132 0.2
SU	1345 0.2	TH	1513 4.7	9	0609 4.3
	1809 4.4		2303 0.2		1355 0.1
				W	1840 4.1
					0154 0.2
					0636 4.1
10	0128 0.3		21	0338 4.7	
	0606 4.4		1228 0.0		0044 0.3
M	1358 0.2	F	1601 5.0	21	0446 5.2
	1846 4.1				1353 -0.1
					1719 5.3
					0225 0.1
					0707 3.9
11	0147 0.3		22	0008 0.3	
	0639 4.1		0423 4.9		0125 0.3
TU	1411 0.1	SA	1322 0.0	22	0528 5.2
	1922 3.9		1649 5.2		1432 0.0
					1804 5.1
					2345 0.6

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

March			April		
Time	m		Time	m	
1	0003	3.5	12	0121	0.2
	0745	0.1		0643	4.1
TU	1246	3.9	SA	1423	0.1
	2003	0.1		1906	4.0
			23	0105	0.2
				0502	5.3
			W	1401	0.2
				1737	5.1
				2311	0.7
				2340	0.7
2	0106	3.8	13	0218	0.1
	0911	0.0		0727	3.9
W	1340	4.3	SU	1500	0.1
	2115	0.1		1956	3.7
			14	0314	0.1
				0827	3.6
3	0156	4.1	15	0425	0.1
	1033	-0.1		1004	3.4
TH	1425	4.5	TU	1704	0.1
	2214	0.1		2237	3.5
			25	0034	0.5
				0217	0.2
			F	0628	4.8
				1426	0.4
				1900	4.4
4	0238	4.3	16	0536	0.0
	1117	0.0		1142	3.7
F	1505	4.6	W	1823	0.1
	2254	0.2			
			17	0014	3.7
				0640	0.0
			TH	0742	0.1
				0758	0.1
				1255	4.2
				2018	0.0
5	0312	4.5	18	0121	4.2
	1150	0.2		0902	0.0
SA	1540	4.6	F	1352	4.6
	2323	0.3		2118	0.1
			19	0211	4.6
				0951	0.2
			SA	1031	0.2
				1054	0.2
				1440	4.9
				2212	0.2
6	0341	4.6	20	0255	4.9
	1102	0.4		1159	0.1
SU	1134	0.4	SU	1525	5.1
	1213	0.3		2312	0.3
	1610	4.7			
	2347	0.2	30	0727	0.0
				1218	3.9
			W	1942	0.1
7	0409	4.8	31	0036	3.7
	1150	0.3		0830	-0.1
M	1638	4.7	TH	1314	4.2
				2047	0.0
			8	0111	0.3
				0518	4.6
			F	1114	0.5
				1146	0.5
				1315	0.3
				1736	4.4
				2336	0.4
8	0019	0.2	9	0029	0.4
	0439	4.8		0135	0.3
TU	1233	0.2	SA	0553	4.4
	1706	4.7		1158	0.3
				1227	0.4
				1338	0.3
				1807	4.2
9	0051	0.2	10	0026	0.2
	0511	4.7		0120	0.3
W	1106	0.5	SU	0144	0.3
	1128	0.5		0631	4.2
	1306	0.2		1400	0.2
	1736	4.5		1840	4.0
	2332	0.3			
10	0003	0.4	11	0145	0.1
	0120	0.2		0717	4.0
TH	0541	4.5	M	1436	0.1
	1149	0.4		1930	3.8
	1208	0.4			
	1334	0.2	22	0126	0.0
	1805	4.3		0523	5.1
			F	1341	0.3
				1751	4.8
				2317	0.6
				2355	0.6

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

		May						June									
	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m					
1	0127	4.1	12	0346	0.0	23	0225	0.0	1	0206	4.3	12	0528	0.0	23	0300	0.1
	0922	0.1		0940	3.8		0645	4.3		0956	0.0		0546	0.1		0806	3.9
SU	1401	4.4	TH	1625	0.1	M	1416	0.3	W	1433	4.4	SU	0713	-0.2	TH	1434	0.2
	2144	0.2		2150	3.8		1853	4.2		2236	-0.1		1132	4.3		1948	3.8
													1809	0.1			
													1847	0.1			
													1855	0.1			
													2346	4.2			
2	0205	4.3	13	0447	0.0	24	0253	0.2	2	0244	4.5	13	0808	-0.2	24	0249	0.0
	0950	0.2		0612	0.2		0743	4.0		1041	0.0		1236	4.4		0858	3.7
M	1435	4.4	F	0631	0.2	TU	1443	0.4	TH	1509	4.6	M	2015	0.0	F	1521	0.1
	2221	0.2		1054	4.0		1942	3.9		2326	-0.1		2052	3.5		2052	3.5
				1732	0.1												
				2308	4.0												
3	0238	4.4	14	0547	0.1	25	0319	0.2	3	0324	4.7	14	0051	4.3	25	0339	-0.1
	1021	0.2		0624	0.1		0844	3.8		1126	0.0		0859	0.0		0949	3.6
TU	1506	4.5	SA	0738	-0.1	W	1521	0.3	F	1547	4.7	TU	1332	4.5	SA	1615	0.0
	2301	0.1		1203	4.3		2045	3.7					2109	0.0		2203	3.4
				1940	0.1												
4	0309	4.6	15	0016	4.3	26	0346	0.1	4	0013	-0.1	15	0148	4.4	26	0438	-0.1
	1104	0.2		0834	-0.1		0941	3.7		0406	4.9		0936	0.1		1040	3.6
W	1534	4.7	SU	1303	4.6	TH	1616	0.2	SA	1207	0.1	W	1000	0.1	SU	1708	0.0
	2344	0.1		2041	0.1		2150	3.6		1628	4.7		1030	0.1		2300	3.4
										2222	0.6		1421	4.6			
										2232	0.6		2158	0.0			
5	0343	4.8	16	0113	4.5	27	0452	0.1	5	0055	0.0	16	0238	4.6	27	0543	0.0
	1148	0.1		0930	0.1		1036	3.7		0451	4.9		1004	0.1		1131	3.7
TH	1606	4.7	M	1353	4.7	F	1708	0.2	SU	1242	0.2	TH	1044	0.2	M	1802	-0.1
				2133	0.1		2249	3.6		1711	4.6		1120	0.1		2355	3.6
										2259	0.4		1507	4.7			
										2327	0.4		2253	-0.1			
6	0026	0.1	17	0203	4.7	28	0656	0.0	6	0128	0.1	17	0326	4.7	28	0748	-0.1
	0422	4.8		1103	0.2		1132	3.8		0537	4.7		1049	0.1		1224	3.8
F	1226	0.2	TU	1439	4.8	SA	1756	0.1	M	1312	0.2	F	1139	0.1	TU	1900	-0.1
	1642	4.7		2226	0.2		2346	3.7		1753	4.4		1148	0.1			
	2231	0.6											1549	4.8			
	2311	0.6															
7	0102	0.2	18	0250	4.8	29	0747	0.0	7	0150	0.1	18	0021	-0.2	29	0047	3.8
	0502	4.7		1036	0.3		1227	3.9		0625	4.5		0411	4.8		0840	-0.2
SA	1052	0.5	W	1046	0.3	SU	1842	0.1	TU	1341	0.2	SA	1146	0.0	W	1317	4.0
	1119	0.5		1148	0.2					1835	4.2		1630	4.8		2113	-0.2
	1258	0.2		1523	4.9												
	1719	4.5		2327	0.1												
	2313	0.4															
	2358	0.5															
8	0130	0.2	19	0335	5.0	30	0039	3.9	8	0213	0.1	19	0106	-0.3	30	0137	4.1
	0543	4.5		1223	0.2		0832	0.0		0717	4.3		0456	4.8		0927	-0.2
SU	1138	0.4	TH	1605	4.9	M	1315	4.1	W	1418	0.1	SU	1241	0.0	TH	1406	4.2
	1205	0.4					2055	0.1		1921	4.1		1709	4.8		2209	-0.2
	1323	0.3															
	1756	4.2															
9	0007	0.3	20	0026	-0.1	31	0125	4.1	9	0247	0.0	20	0145	-0.2			
	0039	0.3		0421	5.0		0913	0.0		0817	4.1		0541	4.7			
M	0149	0.2	F	1246	0.2	TU	1356	4.3	TH	1511	0.1	M	1323	0.1			
	0626	4.3		1647	4.9		2145	0.0		2017	4.0		1748	4.6			
	1347	0.2															
	1834	4.0															
10	0209	0.1	21	0113	-0.2				10	0335	-0.1	21	0216	-0.1			
	0715	4.0		0507	4.9					0923	4.1		0627	4.4			
TU	1424	0.1	SA	1311	0.2				F	1609	0.0	TU	1357	0.2			
	1922	3.8		1728	4.7					2127	4.0		1827	4.4			
11	0250	0.0	22	0152	-0.1				11	0428	-0.1	22	0242	0.0			
	0818	3.8		0554	4.7					0535	0.0		0715	4.2			
W	1519	0.1	SU	1344	0.3				SA	0612	0.0	W	1420	0.2			
	2029	3.7		1810	4.5					1027	4.2		1906	4.1			
				2349	0.5					1708	0.0						
				2357	0.5					2238	4.1						

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

		July				August			
	Time m	Time m		Time m		Time m		Time m	
1	0224 4.3 1015 -0.1 F 1451 4.5 2306 -0.2	12 0734 -0.1 1213 4.1 TU 1947 0.0		23 0227 -0.1 0754 3.7 SA 1442 -0.1 1934 3.7		1 0001 -0.3 0342 5.0 M 1127 -0.1 1603 5.0		12 0131 4.3 0855 -0.2 F 1353 4.3 2232 -0.3	23 0317 -0.2 0817 3.4 TU 1543 -0.1 2029 3.3
2	0309 4.6 1102 0.0 SA 1534 4.7	13 0040 4.0 0825 -0.1 W 1315 4.2 2045 -0.1		24 0306 -0.2 0842 3.5 SU 1531 -0.1 2015 3.4		2 0056 -0.3 0428 5.2 TU 1221 0.0 1646 5.2		13 0222 4.5 0946 -0.1 SA 1439 4.5 2324 -0.3	24 0410 -0.1 0942 3.2 W 1644 -0.2 2236 3.2
3	0007 -0.2 0355 4.9 SU 1148 0.0 1618 4.8	14 0141 4.2 0907 -0.1 TH 1408 4.4 2133 -0.1 2223 -0.1 2225 -0.1		25 0355 -0.2 0945 3.4 M 1626 -0.1 2211 3.1		3 0144 -0.4 0515 5.3 W 1309 0.0 1728 5.2		14 0306 4.7 1019 -0.1 SU 1519 4.7	25 0516 -0.1 1105 3.4 TH 1749 -0.2 2347 3.5
4	0102 -0.2 0442 5.1 M 1230 0.1 1702 4.9	15 0233 4.5 0943 0.0 F 1031 0.0 1052 0.0 1454 4.6 2215 -0.1 2240 -0.1 2334 -0.2		26 0454 -0.1 1044 3.4 TU 1725 -0.1 2316 3.3		4 0226 -0.3 0602 5.1 TH 1351 0.0 1810 5.0		15 0006 -0.2 0346 4.7 M 1101 -0.1 1553 4.8	26 0632 -0.2 1218 3.7 F 1856 -0.3
5	0150 -0.1 0530 5.0 TU 1311 0.1 1746 4.8	16 0319 4.6 1025 -0.1 SA 1536 4.7		27 0603 -0.1 1142 3.6 W 1826 -0.2		5 0301 -0.2 0649 4.8 F 1429 0.1 1850 4.8		16 0037 -0.1 0423 4.8 TU 1149 -0.1 1624 4.9	27 0053 4.0 0818 -0.3 SA 1323 4.1 2104 -0.4
6	0232 -0.1 0619 4.9 W 1350 0.1 1828 4.6	17 0020 -0.3 0402 4.7 SU 1118 -0.1 1614 4.8		28 0016 3.6 0755 -0.2 TH 1245 3.8 2039 -0.2		6 0318 -0.1 0736 4.5 SA 1503 0.1 1932 4.5		17 0049 -0.1 0457 4.8 W 1231 -0.1 1654 4.9	28 0150 4.4 0916 -0.3 SU 1414 4.6 2157 -0.3
7	0302 0.0 0709 4.6 TH 1429 0.1 1910 4.5	18 0059 -0.3 0442 4.8 M 1214 -0.1 1649 4.8		29 0114 3.9 0855 -0.3 F 1345 4.1 2138 -0.3		7 0322 -0.1 0826 4.2 SU 1530 0.0 2025 4.1		18 0109 -0.1 0529 4.7 TH 1306 0.0 1726 4.8	29 0238 4.8 1007 -0.2 M 1458 4.9 2343 -0.3
8	0256 -0.1 0801 4.4 F 1506 0.1 1957 4.3	19 0129 -0.2 0522 4.7 TU 1259 0.0 1723 4.8		30 0208 4.3 0946 -0.2 SA 1434 4.4 2238 -0.3		8 0331 -0.1 0923 3.9 M 1608 0.0 2140 3.8		19 0132 -0.1 0600 4.5 F 1329 0.0 1758 4.5	30 0324 5.1 1100 -0.1 TU 1540 5.2
9	0321 -0.1 0858 4.2 SA 1547 0.0 2056 4.1	20 0152 -0.2 0601 4.6 W 1333 0.1 1757 4.6		31 0256 4.7 1035 -0.1 SU 1519 4.8		9 0533 0.0 1034 3.7 TU 1717 0.0 2315 3.7		20 0146 -0.1 0630 4.2 SA 1344 0.0 1828 4.2	31 0038 -0.3 0409 5.3 W 1200 -0.1 1622 5.4
10	0402 -0.1 0957 4.1 SU 1637 0.0 2207 4.0	21 0215 -0.1 0639 4.3 TH 1353 0.1 1831 4.4				10 0656 -0.1 1155 3.8 W 1923 -0.1		21 0205 -0.2 0658 3.9 SU 1410 -0.1 1857 3.9	
11	0636 -0.1 1102 4.0 M 1737 0.0 2325 3.9	22 0221 0.0 0716 4.0 F 1404 0.0 1902 4.0				11 0031 3.9 0758 -0.2 TH 1300 4.0 2032 -0.2		22 0236 -0.2 0730 3.7 M 1450 -0.1 1935 3.6	

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

September			October		
Time	m	Time	m	Time	m
1	0123 -0.4 0454 5.4	12	0246 4.7 1023 -0.1	23	0438 -0.1 1017 3.3
TH	1254 -0.1 1704 5.4	M	1455 4.6 2337 -0.1	F	1712 -0.2 2317 3.6
				1	0131 -0.1 0511 5.2
				SA	1320 -0.1 1720 5.3
				12	0255 4.6 1027 0.0
				W	1456 4.6 2226 0.1
				23	0523 0.0 1106 3.6
				SU	1746 -0.1 1849 0.0
					1923 0.0 2357 4.1
				2	0158 0.0 0554 5.0
2	0202 -0.3 0539 5.2	13	0324 4.7 1051 0.0	SA	1816 -0.2
F	1338 -0.1 1745 5.2	TU	1527 4.7 2251 0.1	SU	1400 -0.1 1804 5.0
			2323 0.1 2354 0.1	13	0326 4.6 1100 -0.1
				TH	1523 4.7 2306 0.0
				24	0639 -0.1 1218 4.1
				M	2023 -0.2
				3	0216 0.1 0636 4.6
3	0232 -0.2 0623 4.9	14	0357 4.7 1124 -0.1	3	0636 4.6 1434 0.0
SA	1416 0.0 1826 5.0	W	1554 4.9 2336 0.0	M	1434 0.0 1851 4.6
				14	0353 4.7 1141 -0.1
				F	1553 4.9 2351 -0.1
				25	0059 4.4 0832 -0.2
				TU	1313 4.5 2115 -0.2
				4	0224 0.2 0721 4.2
4	0248 0.0 0706 4.6	15	0426 4.8 1204 -0.1	4	0721 4.2 1502 0.0
SU	1450 0.0 1909 4.6	TH	1622 5.0	TU	1502 0.0 1946 4.1
				15	0419 4.8 1222 -0.1
				SA	1627 4.8
				26	0149 4.7 0926 -0.1
				W	1359 4.8 2210 0.0
				5	0238 0.1 0813 3.8
5	0255 0.0 0752 4.2	16	0020 -0.1 0453 4.8	5	0813 3.8 1533 0.0
M	1517 0.0 2002 4.1	F	1241 -0.1 1655 4.9	W	1533 0.0 2110 3.7
				16	0030 -0.1 0449 4.7
				SU	1258 0.0 1703 4.7
				27	0235 4.9 1018 0.0
				TH	1444 5.0 2341 0.1
				6	0355 0.2 0926 3.5
6	0301 0.0 0846 3.8	17	0055 -0.1 0522 4.6	6	0926 3.5 1633 0.0
TU	1547 0.0 2122 3.6	SA	1312 0.0 1728 4.6	TH	1633 0.0 2237 3.7
				17	0100 0.0 0522 4.5
				M	1117 0.3 1152 0.4
					1324 0.1 1739 4.4
					2341 0.3 2355 0.3
				28	0319 5.1 1114 0.0
				F	1528 5.2
				7	0526 0.1 1100 3.5
7	0431 0.1 1000 3.5	18	0121 -0.1 0551 4.4	7	1100 3.5 1858 -0.1
W	1656 0.0 2302 3.6	SU	1150 0.2 1217 0.2	F	1858 -0.1 2349 3.9
			1333 0.1 1759 4.3	18	0124 0.1 0554 4.2
				TU	1203 0.2 1237 0.2
					1341 0.2 1816 4.1
				29	0025 0.1 0402 5.2
				SA	1213 -0.1 1614 5.3
				8	0714 -0.1 1211 3.8
8	0617 0.0 1134 3.6	19	0144 -0.1 0620 4.1	8	1211 3.8 2000 -0.3
TH	1912 -0.2	M	1240 0.1 1253 0.1	SA	2000 -0.3
			1349 0.0 1831 4.1	19	0029 0.1 0039 0.1
				W	0149 0.1 0623 3.9
					1403 0.1 1858 3.9
				30	0100 0.1 0446 5.1
				SU	1302 -0.2 1700 5.2
				9	0050 4.3 0819 -0.2
9	0016 3.9 0737 -0.2	20	0209 -0.1 0651 3.9	9	0819 -0.2 1307 4.2
F	1240 3.9 2027 -0.3	TU	1417 -0.1 1910 3.8	SU	1307 4.2 2102 -0.3
				20	0221 0.0 0700 3.7
				TH	1443 -0.1 1951 3.7
				31	0127 0.1 0528 5.0
				M	1344 -0.1 1747 5.0
				10	0139 4.5 0912 -0.2
10	0115 4.3 0844 -0.3	21	0244 -0.1 0733 3.6	10	0912 -0.2 1350 4.4
SA	1334 4.3 2210 -0.4	W	1505 -0.1 2003 3.5	M	1350 4.4 2206 -0.1
				21	0308 0.0 0806 3.5
				F	1539 -0.1 2110 3.5
				11	0220 4.6 0955 -0.1
11	0203 4.6 0942 -0.2	22	0333 -0.1 0840 3.3	11	0955 -0.1 1426 4.5
SU	1418 4.5 2300 -0.3	TH	1607 -0.2 2131 3.3	TU	1426 4.5 2235 0.1
				22	0412 0.0 0935 3.4
				SA	1643 -0.1 2244 3.7

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

November			December		
Time	m		Time	m	
1	0150	0.2	12	0321	4.6
	0611	4.6		1121	-0.2
TU	1420	0.0	SA	1528	4.7
	1836	4.5		2328	-0.1
2	0213	0.3	13	0350	4.7
	0656	4.3		1205	-0.1
W	1450	0.1	SU	1605	4.8
	1935	4.1			
3	0238	0.3	14	0008	0.0
	0748	3.9		0425	4.7
TH	1522	0.1	M	1244	0.0
	2050	3.8		1645	4.7
4	0333	0.3	15	0040	0.1
	0856	3.6		0502	4.5
F	1611	0.1	TU	1055	0.5
	2159	3.8		1123	0.5
				1314	0.1
				1726	4.6
				2320	0.4
				2331	0.4
5	0438	0.2	16	0106	0.2
	1011	3.5		0539	4.3
SA	1828	0.0	W	1142	0.3
	2306	3.8		1211	0.3
				1333	0.2
				1808	4.3
6	0540	0.2	17	0132	0.2
	1121	3.6		0614	4.0
SU	1924	-0.2	TH	1354	0.1
				1853	4.1
7	0012	4.0	18	0205	0.1
	0742	0.1		0650	3.8
M	1225	3.8	F	1431	0.0
	2013	-0.1		1946	3.8
8	0105	4.2	19	0252	0.1
	0835	0.0		0747	3.7
TU	1313	4.1	SA	1521	0.0
	2056	0.0		2057	3.7
9	0147	4.3	20	0353	0.1
	0919	0.0		0905	3.6
W	1352	4.2	SU	1619	0.0
	2131	0.0		2213	3.9
10	0223	4.4	21	0459	0.1
	0957	0.0		1026	3.7
TH	1425	4.4	M	1719	0.0
	2203	0.0		1818	0.1
				1904	0.0
				2321	4.1
11	0254	4.5	22	0605	0.1
	1036	-0.1		1137	4.0
F	1455	4.5	TU	2001	-0.1
	2244	-0.1			
23	0026	4.3	24	0122	4.5
	0808	0.0		0903	0.0
W	1239	4.3	TH	1333	4.6
	2053	-0.1		2143	0.1
1	0200	0.3	2	0229	0.3
	0636	4.4		0723	4.1
TH	1442	0.1	F	1508	0.2
	1921	4.2		2021	4.0
12	0331	4.6	13	0410	4.6
	1150	-0.1		1234	0.0
M	1549	4.7	TU	1632	4.8
	2346	0.1			
23	0059	4.2	24	0154	4.4
	0836	0.1		0924	0.0
F	1317	4.2	SA	1413	4.5
	2110	0.2		2142	0.2
				2235	0.3
				2241	0.3
25	0243	4.6	25	0211	4.7
	1008	0.0		0954	0.0
SU	1503	4.7	F	1423	4.8
	2222	0.2		2226	0.2
	2310	0.3		2230	0.2
	2334	0.3		2309	0.2
26	0328	4.7	26	0257	4.8
	1057	0.0		1046	0.0
M	1139	0.0	SA	1511	4.9
	1550	4.8		2302	0.2
	2313	0.2		2309	0.2
				2357	0.2
27	0411	4.8	27	0342	4.9
	1251	-0.1		1149	-0.1
TU	1637	4.9	SU	1558	5.1
28	0018	0.1	28	0032	0.1
	0452	4.9		0426	5.0
W	1336	-0.1	M	1248	-0.2
	1723	4.9		1646	5.1
29	0105	0.2	29	0059	0.1
	0533	4.8		0509	4.9
TH	1412	0.0	TU	1335	-0.2
	1809	4.7		1734	4.9
30	0142	0.3	30	0129	0.2
	0612	4.6		0552	4.7
F	1430	0.1	W	1413	0.0
	1857	4.4		1825	4.6
31	0209	0.3	8	0102	3.9
	0651	4.3		0714	0.1
SA	1446	0.2	9	0751	0.1
	1945	4.1		0838	0.1
				1314	3.8
				2055	0.0
20	0429	0.1	10	0145	4.1
	0949	3.9		0925	-0.1
TU	1646	0.1	F	1355	4.0
	1804	0.2		2137	0.0
	1830	0.2			
	2246	4.1			
21	0528	0.1	10	0222	4.2
	1102	3.9		1012	-0.2
W	1752	0.2	SA	1432	4.3
	1809	0.2		2220	0.0
	1932	0.1			
	2353	4.1			
22	0641	0.2	11	0256	4.4
	0705	0.2		1101	-0.2
TH	0724	0.2	SU	1509	4.5
	1213	4.0		2305	0.0
	2025	0.1			

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

January			February														
Time	m		Time	m		Time	m		Time	m							
1	0227	0.3	12	0004	0.3	23	0233	4.4	1	0303	0.1	12	0125	0.3	23	0338	4.7
	0731	3.9		0441	4.7		0934	0.1		0748	3.4		0544	4.9		1031	0.4
SU	1455	0.2	TH	1330	0.2	M	1028	0.2	W	1532	0.1	SU	1142	0.5	TH	1124	0.4
	2034	3.8		1706	5.0		1115	0.1		2113	3.4		1159	0.5		1233	0.2
							1459	4.6					1436	0.2		1608	4.8
							2158	0.2					1820	4.9		2326	0.2
							2249	0.3									
							2316	0.3									
2	0302	0.2	13	0042	0.3	24	0317	4.6	2	0356	0.1	13	0012	0.5	24	0411	4.8
	0822	3.5		0523	4.7		1016	0.1		0837	3.0		0041	0.5		1125	0.3
M	1527	0.1	F	1104	0.5	TU	1107	0.2	TH	0918	3.0	M	0204	0.3	F	1211	0.4
	2124	3.6		1136	0.5		1206	0.1		0946	3.0		0622	4.7		1259	0.3
				1411	0.3		1543	4.8		1626	0.1		1443	0.3		1643	4.8
				1752	4.9		2245	0.2		2215	3.3		1903	4.6			
3	0351	0.1	14	0121	0.3	25	0357	4.8	3	0455	0.1	14	0113	0.4	25	0015	0.2
	0937	3.3		0602	4.5		1106	0.2		1056	3.0		0136	0.4		0442	4.9
TU	1618	0.1	SA	1156	0.4	W	1147	0.2	F	1730	0.2	TU	0239	0.3	SA	1231	0.3
	2214	3.5		1221	0.4		1250	0.1		2315	3.4		0700	4.5		1716	4.7
				1359	0.3		1625	4.8					1440	0.3			
				1838	4.6		2345	0.2					1948	4.3			
4	0444	0.1	15	0157	0.3	26	0434	4.9	4	0556	0.0	15	0213	0.3	26	0055	0.2
	1038	3.2		0640	4.4		1327	0.1		1157	3.3		0745	4.2		0513	4.8
W	1715	0.1	SU	1416	0.3	TH	1706	4.8	SA	1845	0.2	W	1451	0.2	SU	1312	0.2
	2306	3.5		1925	4.4								2038	4.0		1747	4.6
5	0538	0.1	16	0224	0.3	27	0040	0.2	5	0019	3.5	16	0310	0.2	27	0125	0.2
	1136	3.3		0717	4.3		0510	4.9		0700	0.0		0847	3.9		0546	4.6
TH	1829	0.1	M	1441	0.2	F	1350	0.1	SU	0805	0.1	TH	1541	0.2	M	1130	0.4
	1853	0.1		2015	4.2		1746	4.7		0809	0.1		2138	3.7		1159	0.4
	1921	0.1								1259	3.6					1337	0.2
										2027	0.1					1816	4.3
6	0000	3.6	17	0255	0.2	28	0119	0.2	6	0126	3.8	17	0419	0.2	28	0003	0.3
	0635	0.0		0805	4.1		0544	4.7		0914	-0.1		1020	3.6		0030	0.3
F	1233	3.5	TU	1520	0.1	SA	1122	0.5	M	1353	4.0	F	1745	0.3	TU	0143	0.2
	2020	0.1		2111	4.0		1132	0.5		2120	0.1		2306	3.6		0616	4.3
							1357	0.2								1217	0.3
							1824	4.5								1240	0.3
																1356	0.2
																1842	4.1
7	0058	3.7	18	0347	0.2	29	0146	0.3	7	0218	4.1	18	0543	0.2	29	0057	0.2
	0854	0.0		0912	3.9		0618	4.5		1006	0.0		1200	3.7		0642	3.9
SA	1326	3.8	W	1609	0.2	SU	1200	0.4	TU	1439	4.4	SA	1922	0.2	W	1416	0.1
	2108	0.0		2212	3.9		1227	0.4		2208	0.2					1908	3.8
							1410	0.2									
							1901	4.2									
8	0152	3.9	19	0449	0.2	30	0159	0.2	8	0301	4.4	19	0030	3.8			
	0946	-0.1		1032	3.7		0649	4.1		1136	0.1		0759	0.1			
SU	1412	4.1	TH	1714	0.3	M	1420	0.2	W	1522	4.7	SU	1308	4.1			
	2155	0.1		1747	0.3		1936	3.9		2256	0.3		2030	0.1			
				1849	0.3												
				2325	3.8												
9	0237	4.2	20	0602	0.2	31	0220	0.1	9	0342	4.7	20	0130	4.1			
	1040	-0.1		1202	3.7		0716	3.8		1234	0.1		1009	0.0			
M	1455	4.4	F	1952	0.2	TU	1448	0.1	TH	1606	5.0	M	1401	4.5			
	2240	0.2					2014	3.6		2347	0.3		2203	0.2			
10	0318	4.4	21	0043	3.9				10	0424	4.9	21	0219	4.4			
	1143	0.0		0808	0.1					1321	0.1		0925	0.3			
TU	1537	4.7	SA	1314	4.0				W	1650	5.1	TU	0940	0.3			
	2323	0.3		2042	0.2								1109	0.0			
													1448	4.7			
													2251	0.3			
11	0359	4.6	22	0143	4.2				11	0039	0.3	22	0301	4.6			
	1241	0.1		0858	0.1					0505	5.0		0947	0.3			
W	1621	4.9	SU	1411	4.3				SA	1057	0.6	W	1036	0.4			
				2119	0.2					1111	0.6		1155	0.1			
				2208	0.3					1403	0.1		1529	4.8			
				2228	0.3					1735	5.1		2235	0.3			
										2328	0.5						
										2341	0.5						

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

July			August		
Time	m		Time	m	
1	0754 -0.2		12	0322 -0.1	
	1223 4.2			0907 3.8	
SU	2001 -0.1		TH	1532 0.0	
				2116 3.5	
			23	0148 -0.1	
				0532 5.0	
			M	1306 0.1	
				1743 4.8	
			1	0144 4.4	
				0909 -0.2	
			W	1409 4.5	
				2126 -0.2	
				2212 -0.2	
				2246 -0.2	
2	0045 4.2		24	0218 -0.1	
	0845 -0.2			0616 4.7	
M	1326 4.4		TU	1345 0.1	
	2101 -0.2			1820 4.6	
			25	0226 0.0	
				0700 4.5	
			W	1421 0.0	
				1857 4.4	
3	0147 4.4		26	0234 -0.1	
	0930 -0.1			0745 4.2	
TU	1419 4.6		TH	1449 0.0	
	2152 -0.2			1939 4.3	
			4	0034 -0.3	
				0407 5.0	
			SA	1128 -0.1	
				1618 5.1	
4	0241 4.7		15	0047 3.6	
	1010 -0.1			0815 -0.2	
W	1507 4.8		W	1313 3.8	
	2246 -0.2			2057 -0.3	
	2304 -0.2		26	0321 -0.1	
	2344 -0.2			0903 3.8	
			SU	1606 -0.1	
				2129 3.7	
5	0331 4.9		16	0018 3.5	
	1101 -0.1			0804 -0.2	
TH	1127 -0.1		M	1247 3.7	
	1151 -0.1			1909 -0.1	
	1552 5.0			1936 -0.1	
				2037 -0.2	
			27	0301 -0.1	
				0837 4.0	
			F	1527 0.0	
				2035 4.1	
6	0041 -0.4		28	0344 -0.1	
	0419 5.1			0937 3.9	
F	1225 -0.1		SA	1624 0.0	
	1636 5.1			2149 3.8	
			6	0150 -0.3	
				0531 4.9	
			M	1310 -0.1	
				1731 5.0	
7	0130 -0.5		7	0205 -0.2	
	0506 5.1			0611 4.7	
SA	1301 -0.1		TU	1346 0.0	
	1719 5.1			1806 4.7	
			18	0307 4.1	
				0802 -0.2	
			29	0037 4.1	
				0802 -0.2	
			W	1303 4.2	
				2038 -0.2	
8	0214 -0.4		29	0442 -0.1	
	0554 5.0			1046 3.8	
SU	1339 0.0		SU	1735 0.0	
	1801 4.9			2320 3.8	
			19	0247 4.3	
				1022 -0.2	
			TH	1507 4.5	
				2323 -0.3	
			30	0721 -0.1	
				1208 3.9	
			M	1933 -0.1	
9	0250 -0.3		31	0042 4.0	
	0642 4.7			0820 -0.2	
M	1413 0.1		TU	1316 4.2	
	1842 4.6			2040 -0.2	
			9	0227 0.0	
				0727 4.0	
			TH	1415 0.0	
				1914 4.0	
10	0304 -0.1		10	0233 -0.1	
	0730 4.4			0807 3.7	
TU	1441 0.1		F	1445 -0.1	
	1924 4.3			1949 3.5	
			20	0051 -0.2	
				0429 5.2	
			M	1210 0.0	
				1642 5.2	
11	0320 0.0		21	0131 -0.2	
	0818 4.1			0511 5.2	
W	1459 0.1		TU	1300 0.0	
	2013 3.9			1721 5.1	
			22	0202 -0.2	
				0554 5.0	
			W	1344 0.0	
				1759 4.9	

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

September			October		
Time	m	Time	m	Time	m
1	0308 4.9 1022 -0.1	12	0524 0.0 1133 3.4	23	0226 0.0 0739 4.1
SA	1519 4.9 2219 0.1 2302 0.1	W	1752 -0.2	SU	1516 0.0 2001 4.1
2	0017 -0.2 0349 4.9	13	0015 3.6 0635 -0.1	24	0301 0.0 0836 3.8
SU	1103 -0.1 1554 5.0 2308 0.0 2350 0.1	TH	1241 3.8 1857 -0.2 1925 -0.2 2021 -0.2	M	1556 0.0 2135 3.7
3	0048 0.0 0427 4.9	14	0113 4.1 0822 -0.2	25	0423 0.1 1007 3.6
M	1154 -0.1 1626 5.0	F	1334 4.2 2111 -0.3	TU	1659 0.0 2311 3.9
4	0015 -0.1 0502 4.8	15	0200 4.5 0916 -0.2	26	0617 0.0 1139 3.8
TU	1240 -0.1 1658 5.0	SA	1417 4.6 2158 -0.2	W	1927 -0.2
5	0103 -0.1 0534 4.7	16	0242 4.7 1004 -0.1	27	0020 4.2 0750 -0.2
W	1318 -0.1 1732 4.8	SU	1456 4.9 2252 -0.1	TH	1243 4.2 2045 -0.3
6	0133 -0.1 0605 4.4	17	0322 5.0 1056 -0.1	28	0117 4.6 0851 -0.2
TH	1344 0.0 1806 4.5	M	1534 5.1	F	1335 4.5 2223 -0.3
7	0149 0.0 0634 4.1	18	0022 -0.1 0404 5.2	29	0206 4.8 0939 -0.1
F	1225 0.1 1241 0.1 1354 0.1 1837 4.1	TU	1154 0.0 1614 5.3	SA	1418 4.7 2311 -0.2
8	0205 -0.1 0702 3.8	19	0103 -0.1 0446 5.2	30	0248 4.9 1012 0.0
SA	1406 0.0 1908 3.6	W	1247 -0.1 1655 5.3	SU	1455 4.7 2159 0.2 2244 0.2 2346 0.1
9	0234 -0.1 0737 3.5	20	0135 -0.1 0528 5.1	9	0247 0.0 0747 3.3
SU	1449 -0.1 1950 3.2	TH	1332 -0.1 1737 5.2	TU	1509 -0.1 2033 3.1
10	0319 -0.1 0844 3.1	21	0201 -0.1 0610 4.8	10	0342 0.0 0916 3.1
M	1546 -0.1 2203 3.0	F	1411 -0.1 1819 4.9	W	1611 -0.1 2234 3.3
11	0416 -0.1 1021 3.1	22	0225 0.0 0652 4.5	11	0448 0.0 1056 3.3
TU	1649 -0.1 2310 3.2	SA	1445 0.0 1905 4.5	TH	1716 -0.1 2338 3.7
12	0558 -0.1 1204 3.7	23	0306 0.2 0819 3.8	1	0326 4.8 1041 0.0
F	1819 -0.1 1905 -0.1 1953 -0.1	TU	1549 0.0 2130 3.9	M	1527 4.8 2239 0.1
13	0038 4.1 0730 -0.1	24	0414 0.2 0946 3.7	2	0359 4.8 1125 -0.1
SA	1258 4.1 2046 -0.2	W	1646 0.0 1740 0.1 1759 0.1 2244 4.0	TU	1555 4.9 2332 -0.1
14	0129 4.4 0852 -0.2	25	0526 0.1 1106 3.8	3	0429 4.7 1212 -0.2
SU	1342 4.5 2135 -0.2	TH	1913 -0.2 2353 4.3	W	1627 4.9
15	0212 4.7 0945 -0.1	26	0729 0.0 1213 4.1	4	0022 -0.1 0456 4.7
M	1423 4.8 2226 -0.1	F	2010 -0.2	TH	1253 -0.1 1702 4.8
16	0254 4.9 1039 0.0	27	0052 4.5 0825 -0.1	5	0100 -0.1 0525 4.5
TU	1504 5.1 2345 0.0	SA	1308 4.3 2114 -0.1	F	1325 0.0 1737 4.5
17	0336 5.1 1138 0.0	28	0141 4.7 0912 0.0	6	0125 0.0 0555 4.3
W	1547 5.3	SU	1352 4.4 2225 0.1	SA	1144 0.3 1222 0.3 1343 0.1 1811 4.1
18	0033 0.0 0420 5.2	29	0222 4.7 0949 0.1	7	0010 0.2 0023 0.2
TH	1232 -0.1 1632 5.4	M	1429 4.5 2145 0.2	SU	0144 0.0 0625 4.0 1233 0.1 1310 0.1 1349 0.1 1846 3.8
19	0110 -0.1 0504 5.2	30	0259 4.6 1019 0.0	8	0208 0.0 0658 3.7
F	1318 -0.2 1718 5.3	TU	1500 4.5 2219 0.1	M	1415 0.0 1928 3.4
20	0141 0.0 0547 5.0	31	0330 4.6 1100 -0.1	9	0247 0.0 0747 3.3
SA	1358 -0.1 1805 5.0	W	1529 4.7 2307 -0.1	TU	1509 -0.1 2033 3.1
21	0209 0.1 0631 4.6	10	0342 0.0 0916 3.1	20	0141 0.0 0547 5.0
SU	1434 0.0 1855 4.6	W	1611 -0.1 2234 3.3	SA	1358 -0.1 1805 5.0
22	0233 0.2 0719 4.2	11	0448 0.0 1056 3.3	21	0209 0.1 0631 4.6
M	1508 0.0 1959 4.1	TH	1716 -0.1 2338 3.7	SU	1434 0.0 1855 4.6

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

November			December														
Time	m		Time	m		Time	m		Time	m							
1	0357	4.7	12	0051	4.3	23	0444	0.2	1	0400	4.6	12	0111	4.4	23	0445	0.2
	1148	-0.2		0827	-0.1		1021	3.8		1213	-0.2		0856	0.0		1038	3.5
TH	1601	4.8	M	1304	4.4	F	1841	-0.1	SA	1619	4.7	W	1328	4.5	SU	1841	0.1
	2355	-0.2		2113	-0.2		2313	4.1					2132	0.0		2323	3.8
2	0423	4.7	13	0140	4.6	24	0533	0.2	2	0012	0.0	13	0204	4.6	24	0530	0.1
	1232	-0.2		0924	-0.1		0627	0.2		0435	4.6		0949	-0.1		1145	3.5
F	1637	4.7	TU	1352	4.7	SA	0649	0.2	SU	1253	0.0	TH	1422	4.7	M	1931	0.1
				2202	0.0		1128	3.8		1658	4.6		2218	0.1			
							1930	-0.1									
3	0035	-0.1	14	0227	4.8	25	0017	4.2	3	0042	0.2	14	0254	4.8	25	0029	3.8
	0455	4.6		1018	-0.1		0616	0.2		0512	4.5		1044	-0.1		0619	0.1
SA	1308	0.0	W	1439	5.0	SU	0649	0.2	M	1102	0.5	F	1513	5.0	TU	0720	0.2
	1715	4.5		2303	0.0		0750	0.1		1121	0.5		2345	0.1		0759	0.2
							1233	3.9		1320	0.2					1253	3.7
							2016	0.0		1739	4.5					2017	0.0
4	0104	0.1	15	0312	5.0	26	0110	4.3	4	0106	0.2	15	0342	5.0	26	0123	3.9
	0529	4.4		1117	-0.1		0656	0.2		0550	4.2		1205	-0.1		0716	0.1
SU	1121	0.4	TH	1526	5.2	M	0727	0.2	TU	1145	0.3	SA	1604	5.2	W	0741	0.1
	1149	0.4					0838	0.1		1218	0.3					0849	0.0
	1333	0.2					1323	4.1		1332	0.2					1344	3.9
	1753	4.3					2054	0.1		1821	4.2					2101	0.0
	2344	0.3															
	2357	0.3															
5	0125	0.1	16	0007	0.0	27	0154	4.3	5	0131	0.2	16	0033	0.0	27	0205	4.0
	0603	4.1		0358	5.1		0919	0.0		0626	4.0		0429	5.1		0933	-0.1
M	1207	0.2	F	1216	-0.2	TU	1405	4.2	W	1240	0.1	SU	1309	-0.2	TH	1424	4.0
	1241	0.2		1615	5.3		2124	0.1		1303	0.2		1655	5.2		2143	0.0
	1342	0.2								1348	0.1						
	1833	4.0								1905	4.0						
6	0030	0.2	17	0050	0.0	28	0231	4.3	6	0206	0.1	17	0113	0.0	28	0242	4.2
	0046	0.2		0444	5.2		0956	-0.1		0702	3.8		0515	5.1		1019	-0.2
TU	0148	0.1	SA	1307	-0.2	W	1440	4.3	TH	1425	0.0	M	1402	-0.2	F	1458	4.2
	0638	3.8		1704	5.3		2201	0.0		1956	3.8		1746	5.1		2226	0.0
	1359	0.0															
	1917	3.7															
7	0224	0.1	18	0126	0.0	29	0304	4.4	7	0255	0.1	18	0146	0.1	29	0314	4.3
	0719	3.5		0530	5.0		1038	-0.2		0749	3.7		0601	4.9		1109	-0.2
W	1443	-0.1	SU	1351	-0.2	TH	1511	4.4	F	1517	0.0	TU	1451	-0.1	SA	1530	4.4
	2014	3.5		1755	5.1		2245	-0.1		2100	3.8		1840	4.9		2309	0.0
8	0316	0.1	19	0158	0.1	30	0332	4.5	8	0354	0.1	19	0218	0.2	30	0346	4.5
	0824	3.3		0616	4.8		1126	-0.3		0859	3.6		0648	4.6		1200	-0.1
TH	1542	-0.1	M	1430	-0.1	F	1542	4.6	SA	1614	0.0	W	1534	0.0	SU	1605	4.6
	2143	3.5		1850	4.7		2331	-0.1		2208	3.9		1936	4.6		2348	0.2
9	0421	0.1	20	0231	0.2	9	0458	0.1	9	0458	0.1	20	0250	0.3	31	0422	4.6
	0956	3.3		0706	4.4		1020	3.7		1020	3.7		0739	4.3		1245	0.1
F	1645	-0.1	TU	1505	0.0	SU	1716	0.0	TH	1716	0.0	M	1644	4.7			
	2254	3.7		1956	4.3		1829	0.1		1829	0.1						
							1848	0.1		1848	0.1						
							2311	4.1		2311	4.1						
10	0529	0.0	21	0308	0.3	10	0602	0.0	10	0602	0.0	21	0323	0.3			
	1113	3.6		0804	4.0		1129	4.0		1129	4.0		0836	4.0			
SA	1750	0.0	W	1543	0.1	M	1952	0.0	F	1952	0.0	SA	1602	0.1			
	1839	0.0		2104	4.2								2127	4.1			
	1926	0.0															
	2355	4.1															
11	0639	0.0	22	0354	0.3	11	0012	4.2	22	0401	0.2						
	1213	4.0		0914	3.8		0739	0.0		0937	3.7						
SU	2022	-0.2	TH	1638	0.1	TU	1230	4.2	SA	1641	0.1						
				1651	0.1		2044	-0.1		2222	3.9						
				1746	0.0												
				2207	4.1												

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

January			February														
Time	m		Time	m		Time	m		Time	m							
1	0021	0.3	12	0243	4.6	23	0541	0.1	1	0123	0.3	12	0358	5.0	23	0056	3.6
	0500	4.6		1000	0.0		1208	3.3		0556	4.5		1059	0.3		0705	0.1
TU	1051	0.6	SA	1508	4.8	W	1943	0.1	F	1359	0.3	TU	1147	0.4	SA	0730	0.1
	1056	0.6		2229	0.2					1830	4.5		1303	0.0		0842	0.0
	1316	0.2		2311	0.2								1630	5.0		1335	3.9
	1725	4.7		2328	0.2											2050	0.1
2	0051	0.3	13	0330	4.8	24	0034	3.5	2	0200	0.3	13	0014	0.2	24	0151	3.9
	0538	4.4		1048	0.1		0640	0.1		0629	4.4		0437	5.0		0929	0.0
W	1125	0.4	SU	1128	0.1	TH	0729	0.1	SA	1422	0.2	W	1204	0.3	SU	1416	4.2
	1159	0.4		1220	0.0		0820	0.0		1911	4.3		1216	0.3		2129	0.2
	1328	0.3		1556	5.1		1320	3.6					1342	0.1			
	1807	4.5					2036	0.0					1712	5.0			
3	0120	0.3	14	0016	0.1	25	0137	3.7	3	0229	0.2	14	0057	0.2	25	0231	4.3
	0614	4.2		0415	5.0		0911	-0.1		0703	4.3		0515	5.0		1012	0.1
TH	1217	0.3	M	1313	-0.1	F	1405	3.9	SU	1439	0.2	TH	1411	0.2	M	1453	4.5
	1242	0.3		1644	5.2		2124	0.0		1955	4.1		1753	4.8		2208	0.2
	1347	0.2															
	1850	4.3															
4	0153	0.2	15	0053	0.1	26	0219	4.0	4	0247	0.2	15	0133	0.2	26	0308	4.5
	0646	4.1		0458	5.1		1000	-0.1		0751	4.1		0552	4.8		1143	0.2
F	1416	0.2	TU	1400	-0.2	SA	1441	4.1	M	1512	0.1	F	1124	0.6	TU	1529	4.7
	1935	4.1		1732	5.1		2207	0.1		2049	3.9		1135	0.6		2252	0.3
													1406	0.3			
													1832	4.6			
5	0234	0.2	16	0126	0.2	27	0256	4.2	5	0335	0.2	16	0202	0.3	27	0344	4.8
	0721	4.0		0541	5.0		1059	0.0		0856	3.9		0627	4.5		1229	0.3
SA	1455	0.1	W	1442	-0.1	SU	1515	4.4	TU	1600	0.2	SA	1201	0.5	W	1607	4.9
	2026	4.0		1820	4.9		2244	0.2		2152	3.8		1227	0.5		2342	0.3
													1416	0.3			
													1909	4.2			
6	0322	0.1	17	0158	0.2	28	0331	4.5	6	0443	0.2	17	0215	0.3	28	0421	4.9
	0815	3.9		0623	4.8		1202	0.1		1021	3.7		0703	4.1		1306	0.3
SU	1540	0.1	TH	1153	0.5	M	1551	4.6	W	1708	0.2	SU	1425	0.2	TH	1647	5.0
	2127	3.9		1202	0.5		2322	0.3		2307	3.7		1947	3.9			
				1510	0.1												
				1907	4.6												
7	0417	0.1	18	0226	0.3	29	0407	4.7	7	0603	0.2	18	0221	0.1			
	0929	3.8		0704	4.4		1248	0.2		1202	3.7		0740	3.7			
M	1632	0.1	F	1500	0.2	TU	1629	4.8	TH	1941	0.2	M	1450	0.1			
	2231	4.0		1954	4.3								2033	3.6			
8	0523	0.1	19	0246	0.3	30	0002	0.3	8	0041	3.8	19	0302	0.1			
	1051	3.8		0748	4.0		0444	4.8		0749	0.1		0903	3.2			
TU	1744	0.2	SA	1510	0.2	W	1326	0.2	F	1317	4.1	TU	1535	0.1			
	1819	0.2		2041	3.9		1709	4.9		2041	0.1		2131	3.4			
	1909	0.2															
	2337	4.0															
9	0636	0.1	20	0310	0.2	31	0042	0.3	9	0144	4.2	20	0358	0.1			
	1206	4.0		0846	3.6		0521	4.7		0849	0.1		1016	3.1			
W	2012	0.1	SU	1535	0.1	TH	1114	0.5	SA	1413	4.5	W	1631	0.2			
				2130	3.7		1135	0.5		2127	0.2		2232	3.3			
							1346	0.3									
							1750	4.7									
10	0049	4.1	21	0354	0.1				10	0233	4.5	21	0459	0.1			
	0821	0.1		0952	3.3					0926	0.2		1122	3.2			
TH	1317	4.2	M	1623	0.1				SU	1026	0.3	TH	1737	0.2			
	2102	0.1		2222	3.5					1126	0.1		2338	3.3			
										1501	4.8						
										2207	0.2						
										2253	0.2						
										2309	0.2						
11	0152	4.3	22	0446	0.1				11	0317	4.8	22	0600	0.1			
	0915	0.0		1055	3.2					1008	0.3		0719	0.3			
F	1416	4.5	TU	1721	0.2				M	1106	0.4	F	0749	0.2			
	2144	0.1		2318	3.4					1218	0.0		1236	3.5			
										1546	5.0		1957	0.2			
										2258	0.2						
										2338	0.3						
										2345	0.3						

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

		March				April					
Time	m	Time	m	Time	m	Time	m	Time	m		
1	0034 0.3 0458 5.0	12	0300 4.8 0939 0.4	23	0517 0.1 1153 3.5	1	0005 0.5 0150 0.1	12	0344 4.7 1102 0.3	23	0033 3.9 0647 0.2
F	1330 0.3 1728 4.9	TU	1040 0.5 1202 0.1 1530 4.9 2246 0.3	SA	1800 0.2	M	0556 5.0 1406 0.2 1825 4.6	F	1616 4.7 2358 0.0	TU	0705 0.2 0824 0.0 1306 4.2 2017 0.1
2	0120 0.2 0535 4.9	13	0337 4.8 1028 0.4	24	0016 3.6 0618 0.1	2	0226 0.2 0640 4.7	13	0416 4.8 1158 0.2	24	0120 4.2 0913 0.0
SA	1353 0.2 1807 4.7	W	1129 0.5 1241 0.3 1609 4.9 2337 0.2	SU	0718 0.2 0804 0.2 1255 3.9 1915 0.2	TU	1430 0.3 1908 4.3	SA	1646 4.7	W	1351 4.5 2120 0.1
3	0159 0.2 0611 4.7	14	0411 4.9 1126 0.4	25	0115 3.9 0852 0.1	3	0257 0.2 0731 4.3	14	0042 0.0 0451 4.8	25	0202 4.5 1000 0.1
SU	1420 0.2 1846 4.5	TH	1217 0.4 1308 0.4 1646 4.8	M	1344 4.2 2048 0.2	W	1434 0.2 2000 4.0	SU	1245 0.1 1716 4.6	TH	1431 4.7 2217 0.2
4	0233 0.2 0650 4.5	15	0026 0.1 0445 4.9	26	0159 4.3 0935 0.1	4	0325 0.2 0841 3.9	15	0119 0.1 0528 4.6	26	0242 4.8 1054 0.2
M	1431 0.2 1929 4.2	F	1231 0.3 1720 4.7	TU	1424 4.5 2140 0.2	TH	1532 0.3 2106 3.7	M	1319 0.2 1746 4.4 2326 0.5	F	1513 4.9 2316 0.2
5	0224 0.2 0738 4.2	16	0107 0.1 0520 4.8	27	0237 4.5 1019 0.3	5	0418 0.2 1028 3.8	16	0006 0.5 0146 0.2	27	0325 5.1 1201 0.2
TU	1450 0.2 2020 4.0	SA	1316 0.2 1752 4.5	W	1502 4.7 2232 0.3	F	1707 0.3 2250 3.7	TU	0605 4.2 1146 0.4 1210 0.4 1339 0.3 1816 4.1	SA	1556 5.1
6	0309 0.1 0841 3.9	17	0139 0.2 0555 4.6	28	0314 4.8 1113 0.3	6	0523 0.2 0622 0.2	17	0008 0.3 0106 0.3	28	0012 0.1 0410 5.3
W	1539 0.2 2122 3.7	SU	1136 0.5 1155 0.5 1343 0.3 1823 4.3 2358 0.4	TH	1127 0.3 1154 0.3 1541 4.9 2329 0.3	SA	0657 0.2 1145 4.1 1915 0.2	W	0150 0.3 0642 3.9 1230 0.3 1251 0.3 1353 0.2 1849 3.8	SU	1245 0.1 1640 5.1
7	0422 0.2 1021 3.6	18	0037 0.4 0158 0.3	29	0352 5.0 1234 0.3	7	0008 4.0 0813 0.0	18	0111 0.1 0722 3.5	29	0100 0.0 0457 5.3
TH	1708 0.3 2256 3.6	M	0629 4.2 1219 0.4 1238 0.4 1359 0.3 1852 4.0	F	1621 5.1	SU	1250 4.5 2024 0.0	TH	1424 0.2 1934 3.5	M	1321 0.1 1724 5.1
8	0538 0.2 1202 3.9	19	0047 0.2 0702 3.8	30	0024 0.2 0432 5.2	8	0107 4.3 0958 -0.1	19	0231 0.0 0844 3.2	30	0141 -0.1 0544 5.1
F	1921 0.2	TU	1416 0.2 1921 3.7	SA	1305 0.2 1702 5.1 2301 0.6 2319 0.6	M	1342 4.8 2120 0.1	F	1515 0.2 2047 3.2	TU	1354 0.2 1809 4.8
9	0030 3.9 0805 0.2	20	0206 0.1 0740 3.3	31	0110 0.1 0514 5.1	9	0155 4.6 1054 0.0	20	0334 0.0 1014 3.3		
SA	1309 4.4 2035 0.1	W	1454 0.1 2014 3.3	SU	1335 0.2 1744 4.9 2343 0.5	TU	1427 4.9 2204 0.3	SA	1618 0.2 2229 3.3		
10	0130 4.3 1018 0.1	21	0308 0.1 0942 3.1			10	0236 4.6 0933 0.5	21	0439 0.0 1115 3.6		
SU	1402 4.7 2137 0.2	TH	1548 0.2 2154 3.2			W	1012 0.6 1136 0.2 1508 4.8 2232 0.3	SU	1725 0.1 2336 3.6		
11	0218 4.6 0915 0.4	22	0412 0.1 1049 3.2			11	0312 4.7 1009 0.4	22	0543 0.1 0652 0.2		
M	0946 0.4 1116 0.0 1448 4.9 2226 0.3	F	1652 0.2 2305 3.3			TH	1116 0.6 1205 0.5 1544 4.7 2309 0.2	M	0729 0.2 1213 3.9 1830 0.1		

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

		May						June			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1	0219 0.0 0634 4.8 W 1428 0.2 1856 4.5	12	0353 4.6 1134 0.0 SU 1616 4.6	23	0038 4.2 0847 -0.2 TH 1314 4.5 2056 0.0	1	0415 0.0 0836 4.4 SA 1545 0.2 2044 4.2	12	0045 -0.2 0450 4.6 W 1234 0.0 1702 4.6	23	0158 4.7 0955 -0.2 SU 1431 4.7 2224 -0.2
2	0254 0.1 0733 4.4 TH 1506 0.3 1950 4.1	13	0020 -0.2 0429 4.7 M 1221 0.0 1646 4.6	24	0128 4.5 0936 -0.1 F 1402 4.7 2155 0.0	2	0528 -0.1 0937 4.3 SU 1630 0.1 2148 4.1	13	0122 0.0 0529 4.5 TH 1259 0.1 1740 4.5 2327 0.3 2355 0.3	24	0252 5.0 1049 -0.2 M 1521 5.0 2348 -0.3
3	0333 0.1 0853 4.1 F 1556 0.3 2103 3.9	14	0101 -0.1 0507 4.6 TU 1257 0.1 1720 4.5 2308 0.6 2327 0.6	25	0216 4.8 1026 0.0 SA 1449 4.9 2255 -0.1	3	0622 -0.2 1038 4.2 M 1717 0.1 2252 4.0	14	0144 0.1 0610 4.3 F 1149 0.2 1202 0.2 1317 0.1 1818 4.2	25	0344 5.2 1207 -0.2 TU 1609 5.2
4	0421 0.1 1008 4.1 SA 1656 0.2 2222 3.9	15	0134 0.1 0546 4.3 W 1126 0.5 1135 0.5 1320 0.2 1755 4.3 2344 0.3	26	0305 5.1 1131 0.0 SU 1536 5.1 2357 -0.2	4	0711 -0.2 1143 4.2 TU 1759 0.2 1827 0.2 1924 0.1 2358 4.0	15	0015 0.1 0047 0.1 SA 0138 0.1 0652 4.1 1345 0.1 1855 4.0	26	0055 -0.4 0435 5.4 W 1255 -0.2 1656 5.3
5	0651 -0.1 1116 4.3 SU 1857 0.1 2333 4.0	16	0026 0.3 0148 0.2 TH 0626 4.1 1202 0.3 1230 0.3 1334 0.2 1832 4.0	27	0354 5.3 1226 -0.1 M 1623 5.2	5	0758 -0.1 1243 4.3 W 1831 0.2 1902 0.2 2017 0.1	16	0200 -0.1 0738 3.9 SU 1431 0.0 1936 3.8	27	0149 -0.5 0526 5.3 TH 1336 -0.2 1743 5.2
6	0749 -0.2 1221 4.5 M 2000 0.0	17	0038 0.1 0709 3.8 F 1402 0.1 1914 3.7	28	0053 -0.3 0445 5.4 TU 1309 -0.1 1710 5.2	6	0058 4.1 0839 0.0 TH 1333 4.4 1911 0.2 1940 0.2 2103 0.1	17	0249 -0.1 0833 3.8 M 1526 0.0 2029 3.7	28	0240 -0.5 0619 5.2 F 1412 -0.1 1830 5.0
7	0036 4.2 0854 0.0 TU 1316 4.6 2052 0.1	18	0205 0.0 0801 3.6 SA 1451 0.1 2006 3.5	29	0142 -0.3 0536 5.3 W 1347 0.0 1757 5.0	7	0147 4.2 0910 0.1 F 1416 4.4 2143 0.0	18	0344 -0.2 0939 3.8 TU 1626 -0.1 2143 3.7	29	0327 -0.4 0714 4.9 SA 1447 0.0 1919 4.7
8	0128 4.4 1016 0.1 W 1402 4.7 1940 0.4 2001 0.4 2136 0.2	19	0307 -0.1 0922 3.5 SU 1551 0.1 2123 3.4	30	0227 -0.2 0631 5.0 TH 1424 0.1 1847 4.7	8	0229 4.2 0943 0.0 SA 1453 4.4 2224 -0.1	19	0442 -0.1 1042 4.0 W 1728 -0.1 2259 3.9	30	0410 -0.2 0809 4.6 SU 1521 0.1 2012 4.4
9	0211 4.4 0938 0.4 TH 1004 0.4 1054 0.4 1442 4.6 2209 0.2	20	0409 -0.1 1030 3.7 M 1656 0.0 2245 3.6	31	0309 -0.1 0732 4.7 F 1503 0.2 1941 4.4	9	0306 4.3 1025 -0.1 SU 1526 4.4 2312 -0.2	20	0556 -0.1 0616 -0.1 TH 0718 -0.1 1142 4.2 1834 -0.1		
10	0248 4.4 0957 0.3 F 1517 4.6 2246 0.1	21	0513 0.0 0629 0.1 TU 0653 0.1 1128 4.0 1800 0.0 2345 3.9			10	0339 4.5 1113 -0.2 M 1555 4.6	21	0002 4.2 0816 -0.2 F 1241 4.4 2023 -0.1		
11	0321 4.5 1043 0.1 SA 1548 4.6 2333 -0.1	22	0755 -0.1 1223 4.2 W 1916 0.0			11	0001 -0.3 0413 4.6 TU 1158 -0.1 1626 4.7	22	0102 4.4 0906 -0.2 SA 1338 4.5 2126 -0.2		

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

		July				August					
Time	m	Time	m	Time	m	Time	m	Time	m		
1	0445 -0.1 0903 4.3 M 1555 0.1 2110 4.0	12	0116 -0.1 0512 4.7 F 1241 0.1 1724 4.7	23	0246 4.9 1016 -0.2 TU 1509 4.9 2239 -0.2 2302 -0.2 2358 -0.3	1	0402 -0.1 1004 3.6 TH 1626 -0.1 2233 3.4	12	0149 -0.1 0609 4.6 M 1344 -0.1 1811 4.5	23	0041 -0.4 0408 5.2 F 1147 -0.1 1618 5.2
2	0527 -0.1 0957 4.1 TU 1631 0.0 2211 3.8	13	0143 0.0 0552 4.6 SA 1308 0.1 1800 4.5	24	0335 5.1 1122 -0.2 W 1555 5.2	2	0459 -0.1 0543 0.0 F 0616 -0.1 1103 3.5 1720 -0.1 2348 3.4	13	0214 -0.1 0647 4.3 TU 1420 0.0 1846 4.4	24	0123 -0.4 0452 5.2 SA 1239 -0.2 1657 5.2
3	0620 -0.1 1056 3.9 W 1712 0.0 2316 3.7	14	0154 0.0 0632 4.4 SU 1339 0.0 1834 4.3	25	0053 -0.4 0424 5.3 TH 1232 -0.2 1639 5.3	3	0724 -0.2 1222 3.6 SA 1818 -0.1 1856 -0.1 2001 -0.2	14	0237 -0.2 0728 4.1 W 1451 -0.1 1929 4.3	25	0157 -0.3 0534 5.0 SU 1321 -0.1 1735 5.1
4	0711 -0.2 1203 3.9 TH 1757 0.0 1853 0.1 1936 0.0	15	0210 -0.1 0713 4.1 M 1419 0.0 1909 4.1	26	0142 -0.6 0512 5.3 F 1313 -0.2 1723 5.3	4	0101 3.7 0819 -0.3 SU 1323 3.8 2055 -0.3	15	0303 -0.2 0817 3.9 TH 1529 -0.1 2026 4.0	26	0213 -0.1 0614 4.7 M 1356 -0.1 1812 4.8
5	0027 3.7 0759 -0.2 F 1302 4.0 1849 0.0 1914 0.0 2030 -0.1	16	0242 -0.1 0759 4.0 TU 1504 -0.1 1953 4.0	27	0226 -0.5 0600 5.1 SA 1350 -0.1 1805 5.1	5	0151 4.0 0910 -0.3 M 1408 4.1 2146 -0.4	16	0344 -0.2 0918 3.8 F 1626 -0.1 2142 3.8	27	0220 0.0 0653 4.4 TU 1422 0.0 1850 4.4
6	0126 3.9 0844 -0.2 SA 1351 4.1 2118 -0.2	17	0322 -0.2 0854 3.9 W 1555 -0.1 2054 3.9	28	0303 -0.3 0647 4.9 SU 1424 0.0 1847 4.8	6	0232 4.2 0958 -0.2 TU 1445 4.4 2244 -0.3	17	0444 -0.1 1030 3.7 SA 1735 -0.1 2321 3.8	28	0226 0.0 0731 4.0 W 1429 0.0 1933 3.9
7	0213 4.1 0927 -0.2 SU 1432 4.2 2205 -0.3	18	0410 -0.2 0959 3.9 TH 1654 -0.1 2214 3.8	29	0320 -0.1 0734 4.5 M 1452 0.1 1931 4.4	7	0307 4.4 1034 -0.1 W 1519 4.6 2342 -0.2	18	0705 -0.2 1205 3.9 SU 1856 -0.2	29	0238 -0.1 0816 3.7 TH 1455 -0.1 2039 3.4
8	0252 4.2 1009 -0.2 M 1507 4.4 2255 -0.3	19	0513 -0.1 1105 4.0 F 1802 -0.1 2334 4.0	30	0326 -0.1 0822 4.1 TU 1512 0.0 2023 3.9	8	0340 4.6 1105 -0.1 TH 1552 4.8	19	0045 4.1 0817 -0.3 M 1316 4.3 2039 -0.3	30	0317 -0.1 0912 3.4 F 1542 -0.1 2155 3.2
9	0326 4.4 1053 -0.2 TU 1539 4.5 2350 -0.3	20	0741 -0.2 1216 4.1 SA 1942 -0.2	31	0329 -0.1 0911 3.8 W 1539 0.0 2127 3.6	9	0025 -0.2 0415 4.8 F 1143 0.0 1627 4.9	20	0147 4.6 0912 -0.3 TU 1409 4.7 2126 -0.2 2215 -0.2 2253 -0.2	31	0409 0.0 1015 3.3 SA 1639 -0.1 2304 3.3
10	0359 4.6 1135 -0.1 W 1611 4.7	21	0047 4.2 0839 -0.3 SU 1325 4.3 2058 -0.3			10	0100 -0.2 0452 4.9 SA 1224 0.0 1702 4.9	21	0238 4.9 0959 -0.2 W 1455 5.0 2203 -0.1 2243 -0.1 2353 -0.3		
11	0037 -0.2 0434 4.7 TH 1211 0.0 1647 4.8	22	0151 4.5 0929 -0.3 M 1420 4.6 2149 -0.3			11	0126 -0.1 0530 4.8 SU 1305 -0.1 1738 4.7	22	0324 5.1 1046 -0.2 TH 1537 5.1 2248 0.0 2321 0.0		

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

September		October	
Time	m	Time	m
1	0515 0.0 1124 3.3 1740 0.0 1844 0.0 1932 0.0	12	0222 -0.1 0701 4.3 1444 0.0 1913 4.4
SU		23	0011 0.0 0503 4.9 1250 -0.2 1702 5.0
2	0021 3.5 0750 -0.1 1243 3.6 1851 -0.1 1853 -0.1 2028 -0.2	13	0243 -0.1 0748 4.0 1515 -0.1 2009 4.0
M		24	0102 -0.1 0537 4.7 1328 -0.1 1739 4.8
3	0121 3.9 0846 -0.2 1337 4.1 2117 -0.3	14	0322 -0.1 0848 3.8 1606 -0.1 2127 3.7
TU		25	0133 0.0 0610 4.4 1356 0.0 1817 4.4
4	0204 4.2 0932 -0.2 1417 4.4 2205 -0.2	15	0427 -0.1 1003 3.6 1710 -0.1 2322 3.8
W		26	0152 0.0 0643 4.1 1409 0.1 1857 3.9
5	0241 4.5 0958 -0.1 1453 4.6 2304 -0.1	16	0626 -0.1 1155 3.8 1819 -0.1 1853 -0.1 1930 -0.1
TH		27	0209 0.0 0720 3.7 1421 0.0 1949 3.5
6	0315 4.7 1032 0.0 1526 4.8 2351 -0.1	17	0037 4.3 0804 -0.2 1301 4.3 2040 -0.2
F		28	0242 0.0 0815 3.4 1501 0.0 2119 3.2
7	0350 4.9 1118 0.0 1600 5.0	18	0135 4.7 0902 -0.3 1352 4.7 2247 -0.3
SA		29	0330 0.0 0935 3.2 1558 0.0 2229 3.2
8	0018 -0.1 0426 5.0 1209 0.0 1635 5.1	19	0224 5.0 0949 -0.2 1436 4.9 2148 0.1 2214 0.1 2338 -0.3
SU		30	0432 0.1 1048 3.2 1700 0.0 2335 3.5
9	0052 -0.1 0504 5.0 1256 -0.1 1712 5.0	1	0027 -0.1 0437 5.1 1244 -0.1 1649 5.2
M		2	0105 -0.1 0518 5.0 1326 -0.1 1731 5.1
10	0127 -0.2 0542 4.8 1337 -0.1 1749 4.8	3	0139 -0.1 0558 4.7 1403 -0.1 1815 4.8
TU		4	0359 4.8 1131 -0.1 1559 4.9 2333 0.0
11	0158 -0.2 0620 4.5 1413 -0.1 1828 4.6	5	0206 0.0 0640 4.4 1435 0.0 1903 4.4
W		6	0431 4.7 1220 -0.2 1635 4.9
12	0229 0.0 0728 4.1 1508 0.0 2002 4.0	7	0210 4.5 0926 -0.1 1420 4.5 2206 -0.1
13	0310 0.1 0828 3.8 1554 0.0 2139 3.8	8	0245 4.6 1012 0.0 1454 4.7 2250 0.0
14	0423 0.1 0956 3.6 1653 0.0 2308 4.0	9	0245 4.6 1012 0.0 1454 4.7 2250 0.0
15	0622 0.1 1133 3.9 1803 0.1 1806 0.1 1935 -0.1	10	0017 4.4 0752 -0.1 1237 4.3 2042 -0.2
16	0148 0.1 0641 3.9 1402 0.1 1917 3.6	11	0017 4.4 0752 -0.1 1237 4.3 2042 -0.2
17	0215 0.1 0723 3.5 1429 0.0 2029 3.3	12	0115 4.7 0848 -0.2 1329 4.6 2226 -0.2
18	0259 0.1 0830 3.2 1522 0.0 2152 3.3	13	0115 4.7 0848 -0.2 1329 4.6 2226 -0.2
19	0359 0.1 1010 3.2 1623 0.0 2254 3.5	14	0115 4.7 0848 -0.2 1329 4.6 2226 -0.2
20	0506 0.1 1117 3.4 1728 0.0 1828 0.1 1909 0.1 2352 3.8	15	0203 4.9 0934 0.0 1413 4.7 2314 0.0
21	0614 0.0 1214 3.8 2005 -0.1	16	0203 4.9 0934 0.0 1413 4.7 2314 0.0
22	0051 0.0 0427 5.0 1203 -0.1 1627 5.1	17	0246 4.9 1010 0.1 1452 4.8 2157 0.3 2254 0.3 2348 0.2
23	0024 -0.1 0502 4.7 1302 -0.2 1713 4.7	18	0246 4.9 1010 0.1 1452 4.8 2157 0.3 2254 0.3 2348 0.2
24	0103 -0.1 0534 4.5 1336 0.0 1752 4.4	19	0325 4.8 1044 0.0 1526 4.8 2240 0.1
25	0129 0.1 0606 4.2 1356 0.1 1832 4.0	20	0325 4.8 1044 0.0 1526 4.8 2240 0.1
26	0148 0.1 0641 3.9 1402 0.1 1917 3.6	21	0359 4.8 1131 -0.1 1559 4.9 2333 0.0
27	0215 0.1 0723 3.5 1429 0.0 2029 3.3	22	0431 4.7 1220 -0.2 1635 4.9
28	0259 0.1 0830 3.2 1522 0.0 2152 3.3	23	0543 0.1 1159 3.6 1803 0.0 1846 0.0 1951 -0.1
29	0359 0.1 1010 3.2 1623 0.0 2254 3.5	24	0038 3.9 0751 0.0 1258 4.0 2040 -0.2
30	0506 0.1 1117 3.4 1728 0.0 1828 0.1 1909 0.1 2352 3.8	25	0129 4.2 0843 -0.1 1343 4.3 2124 -0.2
31	0614 0.0 1214 3.8 2005 -0.1	26	0129 4.2 0843 -0.1 1343 4.3 2124 -0.2

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

November			December		
Time	m		Time	m	
1	0046 4.1		12	0419 0.2	
	0750 0.0			0942 3.8	
F	1302 4.1		TU	1645 0.1	
	2054 -0.2			1719 0.1	
				1818 0.0	
				2241 4.2	
2	0132 4.4		13	0525 0.2	
	0900 -0.1			1058 3.9	
SA	1342 4.4		W	1917 -0.2	
	2140 -0.1			2349 4.4	
3	0211 4.6		14	0730 0.0	
	0953 0.0			1205 4.1	
SU	1421 4.6		TH	2012 -0.1	
	2227 0.0				
4	0250 4.8		15	0049 4.6	
	1047 0.0			0824 0.0	
M	1501 4.9		F	1303 4.3	
	2317 0.0			2134 0.1	
5	0332 5.0		16	0139 4.7	
	1142 -0.1			0911 0.1	
TU	1545 5.2		SA	1350 4.4	
				2133 0.3	
				2147 0.3	
				2236 0.2	
6	0006 0.0		17	0222 4.7	
	0415 5.1			0947 0.1	
W	1231 -0.1		SU	1431 4.5	
	1632 5.3			2140 0.3	
7	0048 -0.1		18	0301 4.6	
	0459 5.1			1019 0.0	
TH	1315 -0.1		M	1507 4.5	
	1719 5.2			2220 0.1	
8	0124 0.0		19	0335 4.6	
	0543 4.9			1104 -0.2	
F	1353 -0.1		TU	1541 4.6	
	1808 4.9			2309 -0.1	
9	0159 0.1		20	0405 4.6	
	0628 4.5			1153 -0.3	
SA	1428 0.0		W	1615 4.7	
	1901 4.5			2358 -0.1	
10	0234 0.2		21	0434 4.6	
	0718 4.2			1239 -0.2	
SU	1505 0.0		TH	1653 4.6	
	2010 4.2				
11	0320 0.2		22	0039 -0.1	
	0820 3.9			0507 4.6	
M	1549 0.1		F	1317 -0.1	
	2131 4.1			1732 4.5	
23	0108 0.1		24	0128 0.2	
	0542 4.4			0619 4.1	
SA	1342 0.1		SU	1349 0.1	
	1812 4.2			1854 3.9	
1	0048 4.3		2	0137 4.5	
	0822 0.0			0927 -0.1	
SU	1304 4.3		M	1352 4.6	
	2111 -0.1			2159 -0.1	
12	0446 0.2		13	0532 0.2	
	1018 3.9			0617 0.2	
TH	1844 -0.1		F	0653 0.2	
	2310 4.2			1127 3.9	
23	0111 0.2			1932 0.0	
	0601 4.3		24	0137 0.2	
M	1204 0.3			0636 4.0	
	1214 0.3		TU	1400 0.1	
	1342 0.2			1914 4.0	
	1833 4.2		25	0216 0.1	
2	0137 4.5			0709 3.8	
	0927 -0.1			1438 0.1	
M	1352 4.6		W	2000 3.8	
	2159 -0.1				
3	0224 4.7		26	0305 0.1	
	1022 -0.1			0749 3.6	
TU	1440 4.9		TH	1526 0.1	
	2248 0.0			2058 3.7	
4	0311 4.9		15	0111 4.3	
	1120 -0.1			0657 0.2	
W	1530 5.1		SU	0717 0.2	
	2345 0.0			0841 0.1	
5	0358 5.1			1330 4.1	
	1220 -0.1			2051 0.2	
TH	1620 5.3		16	0159 4.4	
6	0036 0.0			0922 4.0	
	0445 5.1		M	1416 4.3	
F	1314 -0.2			2123 0.1	
	1710 5.3		17	0241 4.4	
7	0117 0.0			0958 -0.1	
	0533 5.0		TU	1456 4.3	
SA	1402 -0.1			2201 0.0	
	1803 5.1		18	0317 4.4	
8	0156 0.1			1040 -0.2	
	0620 4.8		W	1531 4.4	
SU	1444 0.0			2247 -0.1	
	1900 4.8		19	0347 4.5	
9	0235 0.2			1129 -0.2	
	0710 4.5		20	0415 4.6	
M	1512 0.1			1219 -0.1	
	2002 4.5		F	1637 4.6	
10	0316 0.2		21	0016 0.0	
	0808 4.2			0448 4.6	
TU	1550 0.1		SA	1300 0.0	
	1615 0.1			1714 4.6	
	1657 0.1		22	0047 0.2	
	2104 4.4			0524 4.5	
11	0400 0.2		SU	1329 0.1	
	0912 4.0			1753 4.4	
W	1753 0.0				
	2205 4.2				

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essential becomes fluvial and variations on these predictions are most likely to occur.

January			February														
Time	m		Time	m		Time	m		Time	m							
1	0205	4.5	12	0535	0.1	23	0205	0.2	1	0332	4.9	12	0109	3.7	23	0254	0.1
	0949	-0.1		0644	0.2		0642	4.1		1045	0.2		0839	0.0		0747	4.1
W	1427	4.7	SU	0708	0.2	TH	1434	0.1	SA	1124	0.2	W	1341	4.0	SU	1517	0.1
	2216	0.1		1206	3.7		1926	4.0		1233	0.0		2054	0.0		2032	3.9
				1934	0.1					1601	5.2						
2	0257	4.7	13	0042	3.9	24	0244	0.2	2	0018	0.1	13	0158	4.0	24	0338	0.1
	1042	0.0		0628	0.2		0716	4.0		0417	5.2		0935	-0.1		0852	3.8
TH	1520	5.0	M	0658	0.2	F	1507	0.1	SU	1145	0.3	TH	1424	4.2	M	1604	0.1
	2315	0.1		0809	0.0		2011	3.9		1151	0.3		2156	0.1		2139	3.8
				1312	3.9					1323	-0.1						
				2021	0.0					1648	5.3						
3	0346	5.0	14	0136	4.0	25	0326	0.2	3	0102	0.1	14	0237	4.2	25	0449	0.1
	1230	0.0		0858	-0.1		0807	3.9		0501	5.2		1042	0.0		1023	3.7
F	1611	5.2	TU	1402	4.1	SA	1545	0.1	M	1409	-0.2	F	1459	4.4	TU	1722	0.2
				2106	0.0		2110	3.8		1736	5.2		2251	0.2		2257	3.7
4	0032	0.1	15	0221	4.2	26	0420	0.1	4	0138	0.1	15	0310	4.4	26	0559	0.1
	0433	5.2		0943	-0.1		0917	3.7		0544	5.1		1132	0.1		1205	3.9
SA	1329	-0.2	W	1444	4.3	SU	1637	0.1	TU	1449	-0.1	SA	1531	4.5	W	1929	0.1
	1702	5.3		2149	0.0		2220	3.8		1823	5.0		2322	0.2			
5	0116	0.1	16	0259	4.3	27	0527	0.1	5	0210	0.2	16	0340	4.6	27	0039	3.9
	0520	5.2		1026	-0.1		1051	3.7		0625	4.9		1212	0.2		0708	0.1
SU	1420	-0.2	TH	1520	4.4	M	1815	0.2	W	1518	0.2	SU	1602	4.7	TH	1318	4.3
	1753	5.2		2232	0.1		2329	3.9		1909	4.7		2325	0.3		2042	0.0
6	0153	0.1	17	0331	4.4	28	0636	0.1	6	0238	0.3	17	0411	4.7	28	0142	4.3
	0606	5.0		1116	0.0		1212	3.9		0707	4.5		1240	0.2		0854	0.1
M	1508	-0.1	F	1551	4.5	TU	2002	0.1	TH	1504	0.3	M	1635	4.8	F	1414	4.7
	1846	5.0		2314	0.1					1954	4.3					2136	0.1
7	0226	0.2	18	0400	4.5	29	0049	4.0	7	0258	0.2	18	0006	0.2	29	0049	4.0
	0652	4.8		1215	0.0		0809	0.0		0753	4.1		0444	4.8		0809	0.0
TU	1551	0.0	SA	1622	4.6	W	1323	4.2	F	1511	0.2	TU	1249	0.2	F	1323	4.2
	1939	4.7		2353	0.2		2100	0.0		2042	4.0		1710	4.8		2100	0.0
8	0259	0.2	19	0432	4.6	30	0154	4.3	8	0315	0.2	19	0047	0.2	30	0154	4.3
	0740	4.4		1253	0.1		0914	0.0		0854	3.7		0518	4.7		0914	0.0
W	1625	0.2	SU	1656	4.7	TH	1421	4.6	SA	1540	0.2	W	1322	0.2	TH	1421	4.6
	2032	4.4					2150	0.1		2133	3.7		1746	4.6		2150	0.1
9	0331	0.2	20	0027	0.2	31	0246	4.6	9	0400	0.1	20	0126	0.2	31	0246	4.6
	0835	4.1		0507	4.6		0959	0.1		1004	3.4		0550	4.5		0959	0.1
TH	1606	0.2	M	1317	0.2	F	1056	0.2	SU	1635	0.2	TH	1354	0.2	F	1056	0.2
	2126	4.2		1734	4.6		1131	0.1		2232	3.5		1820	4.4		1131	0.1
							1512	5.0								1512	5.0
							2243	0.1								2243	0.1
10	0404	0.2	21	0058	0.2	10	0455	0.1	10	0455	0.1	21	0201	0.2	10	0455	0.1
	0938	3.8		0542	4.4		1126	3.4		1126	3.4		0621	4.4		1126	3.4
F	1650	0.2	TU	1338	0.2	M	1854	0.2	SA	1854	0.2	F	1423	0.2	M	1854	0.2
	1727	0.2		1811	4.4							1856	4.2				
	1733	0.2															
	2224	3.9															
11	0446	0.1	22	0130	0.2	11	0000	3.4	11	0000	3.4	22	0229	0.2	11	0000	3.4
	1046	3.6		0614	4.2		0554	0.2		0554	0.2		0657	4.3		0554	0.2
SA	1842	0.1	W	1404	0.2	TU	0642	0.2	TU	0642	0.2	SA	1447	0.1	TU	0642	0.2
	2333	3.8		1848	4.2		0742	0.1		0742	0.1		1937	4.1		0742	0.1
							1248	3.7		1248	3.7					1248	3.7
							1956	0.0		1956	0.0					1956	0.0

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

		March						April										
	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m						
1	0231	4.7	12	0514	0.2	23	0222	0.2	1	0332	5.0	12	0034	3.8	23	0321	0.1	
	0931	0.2		0628	0.3		0646	4.4		1038	0.5		0828	0.0		0848	3.9	
SA	1026	0.3	W	0715	0.3	SU	1426	0.1	TU	1128	0.5	SA	1311	4.1	W	1548	0.2	
	1131	0.1		1203	3.5		1913	4.2		1240	0.3		2033	0.2		2103	3.8	
	1501	5.0		1926	0.2					1606	5.0							
	2228	0.2								2355	0.2							
2	0315	4.9	13	0023	3.5	24	0239	0.1	2	0410	5.0	13	0125	4.1	24	0416	0.1	
	1012	0.4		0620	0.2		0736	4.2		1136	0.4		0912	0.1		1023	4.0	
SU	1104	0.4	TH	0638	0.2	M	1454	0.1	W	1213	0.4	SU	1354	4.3	TH	1703	0.2	
	1222	0.0		0815	0.0		2007	4.0		1307	0.3		2117	0.2		2236	3.8	
	1546	5.1		1309	3.9					1645	4.9							
	2345	0.2		2035	0.1													
3	0356	5.1	14	0123	3.8	25	0318	0.1	3	0040	0.0	14	0205	4.3	25	0516	0.2	
	1103	0.4		0910	0.0		0841	3.9		0448	5.0		0951	0.2		0611	0.2	
M	1142	0.5	F	1354	4.2	TU	1545	0.1	TH	1243	0.3	M	1431	4.5	F	0705	0.2	
	1306	0.0		2137	0.1		2114	3.8		1721	4.8		2200	0.3		1138	4.2	
	1630	5.2														1914	0.1	
																2356	4.1	
4	0032	0.2	15	0205	4.2	26	0424	0.1	4	0120	0.0	15	0239	4.5	26	0616	0.3	
	0437	5.2		1011	0.1		1023	3.7		0527	4.9		1030	0.2		0625	0.3	
TU	1345	0.1	SA	1430	4.4	W	1704	0.2	F	1321	0.2	TU	1504	4.6	SA	0809	0.0	
	1712	5.1		2226	0.2		2240	3.7		1757	4.6		2250	0.3		1243	4.6	
																2018	0.0	
5	0111	0.1	16	0240	4.4	27	0531	0.1	5	0152	0.1	16	0312	4.7	27	0057	4.4	
	0516	5.1		1103	0.2		1158	4.0		0607	4.6		1115	0.2		0952	0.0	
W	1414	0.2	SU	1503	4.5	TH	1918	0.1	SA	1348	0.3	W	1538	4.8	SU	1336	4.8	
	1754	4.9		2223	0.3					1832	4.3		2341	0.2		2112	0.1	
6	0146	0.1	17	0312	4.5	28	0022	4.0	6	0214	0.2	17	0349	4.9	28	0147	4.6	
	0555	4.9		1049	0.3		0630	0.2		0649	4.2		1201	0.2		1052	0.1	
TH	1412	0.3	M	1113	0.3	F	0713	0.2	SU	1403	0.3	TH	1616	4.9	M	1422	4.9	
	1833	4.6		1141	0.3		0811	0.2		1909	4.0					2158	0.2	
				1535	4.7		1305	4.5										
				2303	0.3		2032	0.0										
7	0214	0.2	18	0344	4.7	29	0123	4.4	7	0210	0.2	18	0027	0.1	29	0230	4.7	
	0634	4.6		1134	0.3		1015	0.1		0741	3.7		0429	5.0		0949	0.5	
F	1419	0.3	TU	1608	4.8	SA	1358	4.8	M	1425	0.2	F	1242	0.1	TU	1017	0.5	
	1911	4.3		2352	0.3		2127	0.1		1958	3.6		1655	4.9		1134	0.3	
																1504	4.8	
																2238	0.2	
8	0231	0.2	19	0417	4.9	30	0211	4.7	8	0232	0.1	19	0108	0.1	30	0309	4.8	
	0717	4.2		1221	0.2		1116	0.0		0856	3.4		0511	5.0		1020	0.4	
SA	1428	0.2	W	1643	4.9	SU	1444	5.0	TU	1509	0.2	SA	1319	0.1	W	1119	0.5	
	1953	3.9					2216	0.2		2108	3.4		1734	4.7		1204	0.4	
																1542	4.8	
																2323	0.1	
9	0232	0.2	20	0037	0.2	31	0253	4.9	9	0327	0.1	20	0144	0.1				
	0813	3.7		0452	4.9		0953	0.5		1006	3.4		0554	4.8				
SU	1458	0.2	TH	1301	0.2	M	1040	0.5	W	1609	0.3	SU	1351	0.1				
	2044	3.6		1718	4.8		1202	0.1		2220	3.3		1815	4.5				
							1526	5.0										
							2304	0.2										
10	0314	0.1	21	0118	0.2				10	0430	0.2	21	0216	0.1				
	0927	3.4		0528	4.8					1110	3.5		0640	4.5				
M	1547	0.2	F	1336	0.2				TH	1723	0.3	M	1417	0.2				
	2146	3.4		1754	4.6					2329	3.5		1859	4.2				
11	0411	0.2	22	0153	0.2				11	0534	0.2	22	0245	0.1				
	1040	3.3		0605	4.6					0622	0.3		0733	4.2				
TU	1654	0.3	SA	1405	0.2				F	0737	0.1	TU	1448	0.2				
	2254	3.3		1831	4.4					1216	3.8		1953	4.0				
										1847	0.3							

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

			May						June								
	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m					
1	0346	4.8	12	0040	4.0	23	0419	0.1	1	0032	-0.2	12	0133	4.4	23	0708	-0.2
	1110	0.2		0833	-0.1		0510	0.1		0446	4.7		0935	-0.2		1140	4.3
TH	1617	4.8	M	1311	4.3	F	0547	0.1	SU	1227	-0.1	TH	1404	4.6	M	1920	0.0
				2033	0.1		1003	4.2		1700	4.6		2203	-0.2		2357	4.0
							1656	0.1									
							2213	4.0									
2	0011	-0.1	13	0124	4.2	24	0650	-0.1	2	0114	-0.2	13	0221	4.7	24	0756	-0.2
	0424	4.8		0919	-0.1		1108	4.3		0525	4.5		1024	-0.2		1242	4.3
F	1205	0.1	TU	1353	4.4	SA	1851	0.1	M	1305	0.1	F	1451	4.8	TU	2017	-0.1
	1651	4.7		2135	0.1		2322	4.1		1735	4.5		2302	-0.2			
3	0055	-0.1	14	0204	4.5	25	0746	-0.2	3	0147	0.0	14	0310	5.0	25	0102	4.2
	0503	4.8		1005	0.0		1214	4.5		0606	4.3		1115	-0.1		0836	-0.1
SA	1251	0.1	W	1432	4.6	SU	1955	0.0	TU	1327	0.2	SA	1539	5.0	W	1335	4.4
	1725	4.6		2230	0.1					1812	4.3					2106	-0.1
4	0132	0.0	15	0244	4.7	26	0027	4.3	4	0206	0.1	15	0005	-0.2	26	0155	4.3
	0544	4.5		1052	0.0		0844	-0.1		0649	4.0		0400	5.2		0910	0.0
SU	1325	0.2	TH	1512	4.8	M	1310	4.6	W	1340	0.2	SU	1209	-0.1	TH	1422	4.5
	1800	4.4		2325	0.0		2048	0.0		1850	4.0		1626	5.1		2148	-0.1
5	0200	0.1	16	0327	5.0	27	0122	4.4	5	0151	0.1	16	0103	-0.3	27	0241	4.4
	0627	4.2		1140	0.0		1014	0.1		0735	3.8		0451	5.3		0946	-0.1
M	1345	0.2	F	1554	5.0	TU	1359	4.7	TH	1415	0.1	M	1257	-0.1	F	1503	4.5
	1836	4.1					2134	0.1		1932	3.7		1713	5.1		2230	-0.2
6	0210	0.2	17	0015	-0.1	28	0210	4.5	6	0229	-0.1	17	0156	-0.3	28	0321	4.5
	0714	3.8		0412	5.2		0933	0.3		0837	3.6		0543	5.2		1029	-0.2
TU	1359	0.2	SA	1225	0.0	W	1012	0.3	F	1507	0.1	TU	1340	-0.1	SA	1539	4.5
	1918	3.8		1638	5.0		1056	0.3		2022	3.5		1801	5.0		2320	-0.3
							1442	4.7									
							2213	0.1									
7	0202	0.1	18	0100	-0.1	29	0252	4.5	7	0325	-0.1	18	0247	-0.2	29	0358	4.6
	0820	3.6		0459	5.2		1003	0.2		0942	3.6		0637	5.0		1117	-0.2
W	1439	0.2	SU	1305	0.0	TH	1521	4.6	SA	1608	0.0	W	1421	0.0	SU	1610	4.6
	2016	3.5		1723	4.9		2254	0.0		2152	3.4		1849	4.7			
8	0253	0.0	19	0138	-0.1	30	0331	4.6	8	0428	0.0	19	0338	-0.2	30	0014	-0.3
	0930	3.5		0548	5.0		1049	0.0		1038	3.7		0735	4.7		0432	4.6
TH	1535	0.2	M	1342	0.0	F	1556	4.6	SU	1711	0.0	TH	1503	0.0	M	1205	-0.1
	2143	3.3		1808	4.7		2344	-0.2		2259	3.6		1941	4.5		1641	4.7
9	0353	0.1	20	0213	0.0	31	0408	4.7	9	0544	0.0	20	0432	-0.1			
	1030	3.6		0640	4.7		1140	-0.1		0604	0.0		0835	4.5			
F	1641	0.2	TU	1421	0.1	SA	1628	4.6	M	0657	0.0	F	1547	0.0			
	2249	3.5		1855	4.4					1132	3.9		2040	4.3			
										1810	-0.1						
										2353	3.8						
10	0457	0.1	21	0248	0.0				10	0756	-0.2	21	0526	-0.2			
	0607	0.2		0741	4.4					1224	4.2		0934	4.4			
SA	0644	0.2	W	1505	0.1				TU	1917	-0.1	SA	1632	0.0			
	1127	3.8		1950	4.1								2143	4.1			
	1747	0.1															
	2348	3.7															
11	0744	0.0	22	0328	0.0				11	0044	4.1	22	0619	-0.2			
	1222	4.0		0855	4.2					0847	-0.3		1034	4.3			
SU	1848	0.1	TH	1557	0.1				W	1315	4.4	SU	1722	0.0			
				2100	4.0					2103	-0.1		2248	4.0			

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

			July						August								
	Time	m		Time	m		Time	m		Time	m		Time	m			
1	0059	-0.2	12	0207	4.6	23	0711	-0.2	1	0139	-0.2	12	0006	-0.3	23	0118	4.1
	0507	4.6		0955	-0.3		1213	4.0		0557	4.5		0339	5.2		0835	-0.3
TU	1243	0.0	SA	1436	4.7	W	1944	-0.2	F	1320	-0.1	TU	1126	-0.2	SA	1338	4.1
	1714	4.6		2230	-0.3					1801	4.4		1555	5.3		2118	-0.4
2	0135	-0.1	13	0300	5.0	24	0043	3.9	2	0159	-0.2	13	0059	-0.5	24	0205	4.3
	0545	4.5		1048	-0.2		0802	-0.3		0632	4.2		0426	5.4		0934	-0.3
W	1309	0.1	SU	1525	5.0	TH	1312	4.1	SA	1351	-0.1	W	1232	-0.2	SU	1421	4.3
	1750	4.5					2040	-0.3		1832	4.2		1639	5.4		2230	-0.3
3	0159	0.0	14	0008	-0.3	25	0139	4.2	3	0223	-0.2	14	0145	-0.6	25	0245	4.5
	0623	4.3		0350	5.2		0850	-0.3		0708	4.0		0513	5.4		1026	-0.2
TH	1327	0.1	M	1156	-0.2	F	1402	4.3	SU	1429	-0.1	TH	1317	-0.2	M	1457	4.5
	1826	4.2		1613	5.2		2132	-0.3		1904	4.1		1722	5.3		2317	-0.2
4	0202	0.0	15	0108	-0.4	26	0226	4.4	4	0256	-0.2	15	0227	-0.5	26	0320	4.6
	0702	4.0		0441	5.4		0934	-0.2		0748	3.8		0600	5.2		1100	-0.1
F	1359	0.0	TU	1252	-0.2	SA	1444	4.4	M	1511	-0.1	F	1356	-0.2	TU	1527	4.7
	1901	4.0		1659	5.3		2247	-0.3		1948	3.9		1805	5.1		2352	-0.1
5	0226	-0.1	16	0200	-0.5	27	0307	4.5	5	0334	-0.2	16	0301	-0.3	27	0351	4.7
	0744	3.8		0531	5.4		1017	-0.2		0841	3.7		0646	4.9		1117	-0.1
SA	1446	0.0	W	1335	-0.2	SU	1521	4.5	TU	1600	-0.1	SA	1430	-0.1	W	1556	4.8
	1937	3.8		1745	5.3		2336	-0.2		2048	3.7		1846	4.8			
6	0310	-0.2	17	0247	-0.5	28	0342	4.5	6	0423	-0.2	17	0313	-0.1	28	0015	-0.1
	0834	3.7		0622	5.2		1101	-0.2		0950	3.7		0732	4.5		0422	4.8
SU	1539	-0.1	TH	1414	-0.1	M	1552	4.6	W	1700	-0.1	SU	1500	0.0	TH	1153	-0.1
	2025	3.6		1831	5.0					2218	3.6		1930	4.4		1627	4.9
7	0401	-0.2	18	0331	-0.4	29	0012	-0.2	7	0534	-0.2	18	0322	-0.1	29	0035	-0.2
	0940	3.6		0714	4.9		0415	4.6		1103	3.8		0819	4.1		0454	4.8
M	1636	-0.1	F	1450	-0.1	TU	1143	-0.1	TH	1805	-0.2	M	1523	0.0	F	1233	-0.1
	2142	3.5		1917	4.7		1621	4.8		2344	3.9		2025	4.0		1700	4.9
8	0503	-0.1	19	0407	-0.2	30	0045	-0.2	8	0729	-0.3	19	0327	-0.1	30	0106	-0.2
	1043	3.8		0807	4.6		0447	4.7		1220	4.0		0912	3.8		0528	4.7
TU	1736	-0.1	SA	1525	0.0	W	1220	-0.1	F	1923	-0.3	TU	1552	-0.1	SA	1309	-0.1
	2308	3.7		2007	4.4		1653	4.8					2137	3.6		1733	4.7
9	0702	-0.2	20	0428	-0.1	31	0115	-0.2	9	0056	4.2	20	0420	-0.1	31	0137	-0.2
	1142	4.0		0900	4.3		0521	4.7		0837	-0.4		1014	3.6		0601	4.5
W	1839	-0.2	SU	1600	0.0	TH	1251	-0.1	SA	1329	4.4	W	1645	-0.1	SU	1343	-0.1
				2107	4.1		1727	4.7		2103	-0.3		2258	3.5		1806	4.5
10	0010	4.0	21	0510	-0.1	10	0158	4.6	10	0158	4.6	21	0629	-0.1			
	0811	-0.3		0957	4.1		0931	-0.4		0931	-0.4		1137	3.6			
TH	1243	4.2	M	1639	0.0	SU	1423	4.7	SU	1423	4.7	TH	1915	-0.1			
	2024	-0.2		2214	3.8		2155	-0.3		2155	-0.3						
11	0110	4.3	22	0615	-0.2	11	0250	5.0	11	0250	5.0	22	0019	3.7			
	0905	-0.3		1102	3.9		1023	-0.3		1023	-0.3		0735	-0.3			
F	1343	4.5	TU	1729	0.0	M	1510	5.0	M	1510	5.0	F	1246	3.8			
	2132	-0.3		2330	3.8							2018	-0.3				

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

			September						October								
	Time	m		Time	m		Time	m		Time	m		Time	m			
1	0205	-0.2	12	0121	-0.3	23	0217	4.4	1	0210	-0.2	12	0050	0.0	23	0217	4.5
	0635	4.2		0450	5.2		1002	-0.1		0647	4.2		0502	4.9		0953	0.0
M	1414	-0.1	F	1248	-0.2	TU	1426	4.5	W	1431	-0.1	SU	1302	-0.2	TH	1424	4.5
	1840	4.3		1655	5.3		2237	-0.1		1911	4.2		1707	5.1		2216	-0.1
2	0233	-0.2	13	0153	-0.2	24	0251	4.6	2	0242	-0.2	13	0107	0.0	24	0250	4.6
	0713	4.0		0532	5.1		1033	0.0		0735	4.0		0539	4.7		1033	0.0
TU	1447	-0.1	SA	1330	-0.2	W	1458	4.6	TH	1509	-0.1	M	1339	-0.1	F	1455	4.7
	1924	4.1		1735	5.1		2305	0.0		2008	3.9		1749	4.8		2256	-0.1
3	0306	-0.2	14	0210	-0.1	25	0322	4.7	3	0326	-0.1	14	0135	0.0	25	0321	4.8
	0802	3.9		0613	4.8		1053	0.0		0839	3.7		0616	4.4		1120	0.0
W	1530	-0.1	SU	1405	-0.1	TH	1527	4.8	F	1603	-0.1	TU	1408	0.0	SA	1529	4.9
	2023	3.9		1815	4.8		2321	-0.1		2131	3.7		1832	4.4		2338	-0.1
4	0349	-0.2	15	0218	0.0	26	0352	4.8	4	0432	-0.1	15	0154	0.1	26	0355	4.9
	0907	3.7		0652	4.4		1135	0.0		0958	3.6		0654	4.1		1205	-0.1
TH	1627	-0.2	M	1433	0.0	F	1558	4.9	SA	1705	-0.1	W	1426	0.1	SU	1608	5.0
	2144	3.7		1858	4.4					2316	3.9		1922	3.9			
5	0454	-0.2	16	0222	0.0	27	0001	-0.1	5	0552	-0.1	16	0216	0.1	27	0018	-0.1
	1025	3.7		0734	4.0		0424	4.9		1143	3.9		0741	3.7		0433	4.9
F	1732	-0.2	TU	1447	0.0	SA	1218	-0.1	SU	1807	-0.1	TH	1442	0.0	M	1246	-0.1
	2327	3.8		1949	3.9		1632	5.0		1856	0.0		2030	3.5		1649	5.0
										1940	-0.1						
6	0624	-0.2	17	0244	-0.1	28	0040	-0.2	6	0032	4.3	17	0256	0.1	28	0053	-0.1
	1203	3.9		0823	3.7		0458	4.8		0802	-0.2		0845	3.4		0512	4.8
SA	1838	-0.2	W	1512	0.0	SU	1258	-0.1	M	1252	4.3	F	1526	0.0	TU	1321	0.0
				2101	3.5		1708	4.9		2042	-0.2		2144	3.4		1731	4.8
7	0047	4.3	18	0331	0.0	29	0114	-0.2	7	0130	4.8	18	0356	0.2	29	0124	-0.1
	0815	-0.4		0926	3.4		0533	4.6		0859	-0.3		1000	3.3		0551	4.5
SU	1314	4.4	TH	1604	0.0	M	1332	0.0	TU	1343	4.7	SA	1629	0.1	W	1352	0.0
	2046	-0.3		2219	3.4		1745	4.7		2240	-0.1		2250	3.5		1816	4.6
8	0147	4.7	19	0444	0.1	30	0143	-0.2	8	0218	5.0	19	0519	0.2	30	0154	0.0
	0913	-0.4		1040	3.3		0608	4.4		0948	-0.2		1111	3.4		0631	4.2
M	1406	4.8	F	1714	0.0	TU	1402	0.0	W	1427	4.9	SU	1916	-0.1	TH	1422	0.0
	2136	-0.2		1753	0.0		1825	4.5		2334	-0.1		2356	3.8		1905	4.3
	2224	-0.2		1847	0.0												
	2250	-0.2		2340	3.6												
9	0237	5.1	20	0704	0.0				9	0302	5.1	20	0723	0.1	31	0228	0.0
	1004	-0.3		1206	3.5					1035	-0.1		1217	3.7		0720	4.0
TU	1451	5.1	SA	1953	-0.3				TH	1508	5.1	M	2009	-0.2	F	1459	0.0
	2216	0.0								2232	0.2					2006	3.9
	2239	0.0								2303	0.2						
	2353	-0.3															
10	0322	5.2	21	0048	3.9				10	0015	0.0	21	0055	4.1			
	1058	-0.2		0814	-0.2					0343	5.1		0830	0.0			
W	1533	5.2	SU	1306	3.9				F	1126	-0.1	TU	1309	4.1			
				2050	-0.3					1547	5.2		2057	-0.2			
										2321	0.1						
										2348	0.1						
11	0040	-0.3	22	0137	4.2				11	0046	0.0	22	0140	4.3			
	0406	5.3		0913	-0.2					0423	5.1		0916	-0.1			
TH	1158	-0.2	M	1350	4.2				SA	1217	-0.2	W	1350	4.3			
	1614	5.3		2146	-0.3					1627	5.2		2138	-0.1			

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.

			November						December								
	Time	m		Time	m		Time	m		Time	m		Time	m			
1	0317	0.1	12	0108	0.0	23	0252	4.7	1	0415	0.2	12	0117	0.2	23	0317	4.8
	0822	3.7		0546	4.5		1059	-0.1		0927	3.8		0558	4.3		1131	0.0
SA	1549	0.0	W	1348	0.0	SU	1506	4.8	M	1634	0.1	F	1356	0.1	TU	1537	5.0
	2134	3.8		1811	4.4		2314	-0.1		1722	0.2		1834	4.2		2336	0.1
										1815	0.1						
										2229	4.2						
2	0424	0.1	13	0135	0.1	24	0333	4.9	2	0516	0.1	13	0138	0.2	24	0403	4.9
	0944	3.6		0623	4.2		1149	-0.1		1040	3.9		0635	4.0		1237	0.0
SU	1647	0.0	TH	1411	0.1	M	1550	5.1	TU	1912	-0.1	SA	1407	0.1	W	1627	5.2
	1811	0.2		1858	4.0		2357	0.0		2337	4.3		1918	3.9			
	1820	0.2															
	2257	4.0															
3	0538	0.1	14	0155	0.2	25	0416	5.0	3	0720	0.1	14	0206	0.2	25	0023	0.1
	1113	3.9		0704	3.9		1234	-0.1		1150	4.1		0712	3.7		0450	5.0
M	1748	0.1	F	1420	0.1	TU	1636	5.1	W	2005	-0.1	SU	1430	0.1	TH	1335	0.0
	1815	0.1		1956	3.7								2010	3.6		1717	5.2
	1934	-0.1															
4	0008	4.3	15	0228	0.1	26	0035	0.0	4	0040	4.5	15	0253	0.2	26	0106	0.1
	0746	-0.1		0754	3.5		0459	4.9		0818	0.0		0753	3.4		0536	4.9
TU	1223	4.2	SA	1452	0.0	W	1311	0.0	TH	1253	4.3	M	1519	0.0	F	1426	0.1
	2032	-0.1		2106	3.5		1723	5.0		2056	0.1		2114	3.5		1808	5.0
5	0107	4.7	16	0321	0.2	27	0110	0.0	5	0133	4.6	16	0350	0.1	27	0148	0.2
	0842	-0.1		0915	3.3		0543	4.7		0907	0.0		0856	3.2		0621	4.7
W	1318	4.5	SU	1547	0.1	TH	1343	0.0	F	1346	4.4	TU	1619	0.1	SA	1514	0.1
	2214	0.0		2207	3.5		1812	4.7		2121	0.2		2212	3.5		1902	4.8
										2158	0.3						
										2230	0.2						
6	0156	4.8	17	0428	0.2	28	0146	0.1	6	0220	4.7	17	0451	0.1	28	0230	0.2
	0930	0.0		1027	3.3		0627	4.4		0947	0.0		1035	3.2		0708	4.4
TH	1404	4.7	M	1657	0.1	F	1416	0.1	SA	1432	4.6	W	1731	0.1	SU	1458	0.2
	2307	0.1		2304	3.7		1907	4.4		2143	0.2		2305	3.7		1532	0.2
																1558	0.2
																1959	4.5
7	0240	4.9	18	0533	0.1	29	0226	0.1	7	0302	4.7	18	0549	0.1	29	0312	0.2
	1013	0.0		1127	3.5		0715	4.1		1024	0.0		1132	3.5		0759	4.2
F	1446	4.8	TU	1923	-0.1	SA	1453	0.1	SU	1514	4.6	TH	1928	0.0	M	1534	0.1
	2207	0.3					2011	4.2		2224	0.1		2358	3.9		1628	0.2
	2256	0.3														1646	0.2
	2343	0.2														2057	4.3
8	0321	4.9	19	0000	3.9	30	0317	0.2	8	0341	4.7	19	0650	0.0	30	0356	0.2
	1055	0.0		0633	0.1		0814	3.9		1110	-0.1		1224	3.8		0859	4.0
SA	1526	4.9	W	1221	3.8	SU	1540	0.1	M	1554	4.7	F	2023	-0.1	TU	1620	0.1
	2249	0.1		2014	-0.2		2122	4.1		2313	0.0					1658	0.2
																1742	0.1
																2156	4.2
9	0359	4.9	20	0051	4.1	9	0415	4.7	9	0415	4.7	20	0050	4.1	31	0443	0.2
	1145	-0.1		0813	0.0		1203	-0.2		1203	-0.2		0832	0.0		1007	3.9
SU	1606	4.9	TH	1308	4.0	TU	1632	4.7	SA	1313	4.1	SA	1313	4.1	W	1836	0.1
	2340	0.0		2100	-0.2					2112	-0.1		2112	-0.1		2301	4.1
10	0435	4.8	21	0135	4.3	10	0003	-0.1	10	0003	-0.1	21	0141	4.3			
	1234	-0.2		0916	-0.1		0448	4.6		0448	4.6		0937	-0.1			
M	1646	4.9	F	1347	4.3	W	1251	-0.1	W	1251	-0.1	SU	1401	4.4			
				2145	-0.1		1712	4.6		1712	4.6		2200	-0.1			
11	0030	0.0	22	0214	4.5	11	0046	0.0	11	0046	0.0	22	0230	4.5			
	0510	4.7		1008	-0.1		0523	4.5		0523	4.5		1032	-0.1			
TU	1315	-0.2	SA	1425	4.6	TH	1330	0.0	TH	1330	0.0	M	1449	4.7			
	1728	4.7		2230	-0.1		1752	4.4		1752	4.4		2247	0.0			

NB. The predictions can be significantly influenced by variations in fluvial flow and meteorological conditions. During low water periods, the river essentially becomes fluvial and variations on these predictions are most likely to occur.